


403000. INDOP PE ROND VLAJKYLINDRISCHE KOP MET LAMELLEN

Meerdere wanddiktes leverbaar!



Artikelcode	D	H	h	Wanddikte		
403000.010000000.000	10,0	11,5	3,5	0,8-1,5	zwart	
403000.010000000.742	10,0	11,5	3,5	0,8-1,5	grijs	RAL 7042
403000.010000000.903	10,0	11,5	3,5	0,8-1,5	wit	RAL 9003
403000.010000010.000	10,0	6,0	4,0	1,5-2,0	zwart	
403000.012000000.000	12,0	10,0	4,0	1,0-2,0	zwart	
403000.012000000.903	12,0	10,0	4,0	1,0-2,0	wit	RAL 9003
403000.012000010.000	12,0	11,5	3,5	1,0-1,5	zwart	
403000.012000010.001	12,0	11,5	3,5	1,0-1,5	wit	
403000.012000010.003	12,0	11,5	3,5	1,0-1,5	grijs	
403000.012000010.735	12,0	11,5	3,5	1,0-1,5	grijs	RAL 7035
403000.013000000.000	13,0	10,0	4,0	1,0-2,0	zwart	
403000.013000000.003	13,0	10,0	4,0	1,0-2,0	grijs	
403000.013000000.011	13,0	10,0	4,0	1,0-2,0	bruin	
403000.013000000.735	13,0	10,0	4,0	1,0-2,0	grijs	RAL 7035
403000.013000000.910	13,0	10,0	4,0	1,0-2,0	wit	RAL 9010
403000.013000010.000	13,0	10,0	4,0	1,0-2,0	zwart	
403000.013000020.000	13,0	10,0	4,0	0,7-1,0	zwart	
403000.013000020.902	13,0	11,5	4,0	0,8-2,0	wit	RAL 9002
403000.013000020.903	13,0	11,5	4,0	0,8-2,0	wit	RAL 9003
403000.013000025.000	13,0	11,5	4,0	2,0-2,5	zwart	
403000.014000000.000	14,0	11,5	5,0	0,8-2,0	zwart	
403000.014000000.735	14,0	11,5	5,0	0,8-2,0	grijs	RAL 7035
403000.014000000.742	14,0	11,5	5,0	0,8-2,0	grijs	RAL 7042
403000.014000000.903	14,0	11,5	5,0	0,8-2,0	wit	RAL 9003
403000.014000010.000	14,0	9,3	4,0	1,0-2,0	zwart	

Artikelcode	D	H	h	Wanddikte		
403000.014000010.001	14,0	9,3	4,0	1,0-2,0	wit	
403000.014000010.003	14,0	9,3	4,0	1,0-2,0	grijs	
403000.014000010.735	14,0	9,3	4,0	1,0-2,0	grijs	RAL 7035
403000.014000025.000	14,0	11,5	5,0	2,0-2,5	zwart	
403000.014000030.000	14,0	11,5	5,0	2,5-3,0	zwart	
403000.015000000.000	15,0	9,6	4,0	0,8-2,0	zwart	
403000.015000000.116	15,0	9,6	4,0	0,8-2,0	geel	RAL 1016
403000.015000000.742	15,0	9,6	4,0	0,8-2,0	grijs	RAL 7042
403000.015000000.903	15,0	9,6	4,0	0,8-2,0	wit	RAL 9003
403000.015000010.000	15,0	9,6	4,0	1,0-2,0	zwart	
403000.015000010.001	15,0	9,6	4,0	1,0-2,0	wit	
403000.015000010.003	15,0	9,6	4,0	1,0-2,0	grijs	
403000.015000010.735	15,0	9,6	4,0	1,0-2,0	grijs	RAL 7035
403000.015000025.000	15,0	11,5	5,0	2,0-2,5	zwart	
403000.015000030.000	15,0	11,5	5,0	2,5-3,0	zwart	
403000.015000035.000	15,0	11,5	5,0	3,0-3,5	zwart	
403000.015000215.000	15,0	11,5	5,0	1,5	zwart	
403000.015000225.000	15,0	11,5	5,0	2,5	zwart	
403000.016000000.000	16,0	10,0	4,0	1,0-2,0	zwart	
403000.016000000.003	16,0	10,0	4,0	1,0-2,0	grijs	
403000.016000000.300	16,0	10,0	4,0	1,0-2,0	rood	RAL 3000
403000.016000000.702	16,0	10,0	4,0	1,0-2,0	grijs	RAL 7002
403000.016000000.735	16,0	10,0	4,0	1,0-2,0	grijs	RAL 7035
403000.016000000.910	16,0	10,0	4,0	1,0-2,0	wit	RAL 9010
403000.016000020.000	16,0	11,5	5,0	0,8-2,0	zwart	
403000.016000020.742	16,0	11,5	5,0	0,8-2,0	grijs	RAL 7042
403000.016000020.902	16,0	11,5	5,0	0,8-2,0	wit	RAL 9002
403000.016000020.903	16,0	11,5	5,0	0,8-2,0	wit	RAL 9003
403000.016000025.000	16,0	11,5	5,0	2,0-2,5	zwart	
403000.016000100.000	16,0	5,0	5,0	1,0-2,0	zwart	
403000.016000130.000	16,0	11,5	5,0	3,0	zwart	
403000.016000220.000	16,0	11,5	5,0	2,0	zwart	
403000.016000320.000	16,0	11,5	8,0	2,0	zwart	
403000.018000000.000	18,0	11,5	5,0	1,0-2,0	zwart	
403000.018000000.003	18,0	11,5	5,0	1,0-2,0	grijs	
403000.018000000.011	18,0	11,5	5,0	1,0-2,0	bruin	
403000.018000000.814	18,0	11,5	5,0	1,0-2,0	bruin	RAL 8014
403000.018000000.910	18,0	11,5	5,0	1,0-2,0	wit	RAL 9010
403000.018000015.000	18,0				zwart	
403000.018000020.000	18,0				zwart	
403000.018000020.742	18,0				grijs	RAL 7042
403000.018000030.000	18,0	11,5	5,0	2,5-3,5	zwart	
403000.019000000.000	19,0	11,5	5,0	1,0-2,0	zwart	

Artikelcode	D	H	h	Wanddikte		
403000.019000000.003	19,0	11,5	5,0	1,0-2,0	grijs	
403000.019000000.735	19,0	11,5	5,0	1,0-2,0	grijs	RAL 7035
403000.019000000.910	19,0	11,5	5,0	1,0-2,0	wit	RAL 9010
403000.019000020.000	19,0				zwart	
403000.019000020.902	19,0				wit	RAL 9002
403000.020000000.000	20,0	11,5	5,0	0,8-2,5	zwart	
403000.020000000.735	20,0	11,5	5,0	0,8-2,5	grijs	RAL 7035
403000.020000000.903	20,0	11,5	5,0	0,8-2,5	wit	RAL 9003
403000.020000010.000	20,0				zwart	
403000.020000010.001	20,0				wit	
403000.020000010.003	20,0				grijs	
403000.020000010.300	20,0				rood	RAL 3000
403000.020000010.735	20,0				grijs	RAL 7035
403000.020000010.747	20,0				grijs	RAL 7047
403000.020000010.906	20,0				alu	RAL 9006
403000.020000040.000	20,0	11,5	5,0	3,5-4,0	zwart	
403000.021000000.000	21,0	11,5	5,0	0,8-2,0	zwart	
403000.021000000.740	21,0	11,5	5,0	0,8-2,0	grijs	RAL 7040
403000.021000000.903	21,0	11,5	5,0	0,8-2,0	wit	RAL 9003
403000.021000025.000	21,0	11,5	5,0	2,0-2,5	zwart	
403000.022000000.000	22,0	11,5	5,0	1,0-2,0	zwart	
403000.022000000.003	22,0	11,5	5,0	1,0-2,0	grijs	
403000.022000000.118	22,0	11,5	5,0	1,0-2,0	geel	RAL 1018
403000.022000000.510	22,0	11,5	5,0	1,0-2,0	blauw	RAL 5010
403000.022000000.515	22,0	11,5	5,0	1,0-2,0	blauw	RAL 5015
403000.022000000.735	22,0	11,5	5,0	1,0-2,0	grijs	RAL 7035
403000.022000000.814	22,0	11,5	5,0	1,0-2,0	bruin	RAL 8014
403000.022000000.817	22,0	11,5	5,0	1,0-2,0	bruin	RAL 8017
403000.022000000.910	22,0	11,5	5,0	1,0-2,0	wit	RAL 9010
403000.022000010.000	22,0	11,5	5,0	0,5-1,0	zwart	
403000.022000025.000	22,0				zwart	
403000.022000025.902	22,0				wit	RAL 9002
403000.022000035.000	22,0				zwart	
403000.022000050.000	22,0				zwart	
403000.023000000.000	23,0	11,5	5,0	0,8-2,5	zwart	
403000.023000030.000	23,0	11,5	5,0	2,5-3,0	zwart	
403000.023000035.000	23,0	11,5	5,0	3,0-3,5	zwart	
403000.023000040.000	23,0	11,5	5,0	3,5-4,0	zwart	
403000.024000000.000	24,0	11,5	5,0	1,0-2,5	zwart	
403000.024000000.903	24,0	11,5	5,0	1,0-2,5	wit	RAL 9003
403000.024000030.000	24,0	11,5	5,0	2,5-3,0	zwart	
403000.024000035.000	24,0	11,5	5,0	3,0-3,5	zwart	
403000.024000040.000	24,0	11,5	5,0	3,5-4,0	zwart	

Artikelcode	D	H	h	Wanddikte		
403000.024000045.000	24,0	11,5	5,0	4,0-4,5	zwart	
403000.025000000.000	25,0	11,7	5,0	1,0-2,0	zwart	
403000.025000000.003	25,0	11,7	5,0	1,0-2,0	grijs	
403000.025000000.011	25,0	11,7	5,0	1,0-2,0	bruin	
403000.025000000.032	25,0	11,7	5,0	1,0-2,0	beige	
403000.025000000.320	25,0	11,7	5,0	1,0-2,0	rood	RAL 3020
403000.025000000.515	25,0	11,7	5,0	1,0-2,0	blauw	RAL 5015
403000.025000000.735	25,0	11,7	5,0	1,0-2,0	grijs	RAL 7035
403000.025000000.906	25,0	11,7	5,0	1,0-2,0	alu	RAL 9006
403000.025000000.910	25,0	11,7	5,0	1,0-2,0	wit	RAL 9010
403000.025000010.000	25,0	11,7	5,0	0,5-1,0	zwart	
403000.025000030.000	25,0	11,7	5,0	1,0-3,0	zwart	
403000.025000030.735	25,0	11,7	5,0	1,0-3,0	grijs	RAL 7035
403000.025000030.903	25,0	11,7	5,0	1,0-3,0	wit	RAL 9003
403000.025000035.000	25,0	11,7	5,0	3,0-5,0	zwart	
403000.025000065.000	25,0				zwart	
403000.026000000.000	26,0	11,5	5,0	1,0-3,0	zwart	
403000.026000000.903	26,0	11,5	5,0	1,0-3,0	wit	RAL 9003
403000.027000000.000	27,0	11,5	5,0	1,0-3,0	zwart	
403000.027000010.000	27,0				zwart	
403000.027000010.001	27,0				wit	
403000.027000010.003	27,0				grijs	
403000.027000010.515	27,0				blauw	RAL 5015
403000.027000010.735	27,0				grijs	RAL 7035
403000.028000000.000	28,0	11,5	5,0	0,8-2,5	zwart	
403000.028000000.742	28,0	11,5	5,0	0,8-2,5	grijs	RAL 7042
403000.028000000.903	28,0	11,5	5,0	0,8-2,5	wit	RAL 9003
403000.028000010.000	28,0				zwart	
403000.028000010.001	28,0				wit	
403000.028000010.003	28,0				grijs	
403000.028000010.735	28,0				grijs	RAL 7035
403000.028000035.000	28,0	11,5	5,0	3,0-3,5	zwart	
403000.030000000.000	30,0	11,5	5,0	0,8-2,5	zwart	
403000.030000000.121	30,0	11,5	5,0	0,8-2,5	geel	RAL 1021
403000.030000000.320	30,0	11,5	5,0	0,8-2,5	rood	RAL 3020
403000.030000000.735	30,0	11,5	5,0	0,8-2,5	grijs	RAL 7035
403000.030000000.742	30,0	11,5	5,0	0,8-2,5	grijs	RAL 7042
403000.030000000.903	30,0	11,5	5,0	0,8-2,5	wit	RAL 9003
403000.030000000.906	30,0	11,5	5,0	0,8-2,5	alu	RAL9006
403000.030000010.000	30,0	14,0	4,8	1,0-2,0	zwart	
403000.030000010.001	30,0	14,0	4,8	1,0-2,0	wit	
403000.030000010.003	30,0	14,0	4,8	1,0-2,0	grijs	
403000.030000010.735	30,0	14,0	4,8	1,0-2,0	grijs	RAL 7035

Artikelcode	D	H	h	Wanddikte		
403000.030000030.000	30,0				zwart	
403000.030000030.001	30,0				wit	
403000.030000030.003	30,0				grijs	
403000.030000035.000	30,0	11,5	5,0	3,0-3,5	zwart	
403000.030000045.000	30,0				zwart	
403000.032000000.000	32,0	11,5	5,0	0,8-2,5	zwart	
403000.032000000.742	32,0	11,5	5,0	0,8-2,5	grijs	RAL 7042
403000.032000000.902	32,0				wit	RAL 9002
403000.032000000.903	32,0	11,5	5,0	0,8-2,5	wit	RAL 9003
403000.032000000.906	32,0	11,5	5,0	0,8-2,5	alu	RAL9006
403000.032000000.910	32,0	11,5	5,0	0,8-2,5	wit	RAL 9010
403000.032000020.000	32,0	14,3	5,0	1,0-2,0	zwart	
403000.032000020.001	32,0	14,3	5,0	1,0-2,0	wit	
403000.032000020.003	32,0	14,3	5,0	1,0-2,0	grijs	
403000.032000020.735	32,0	14,3	5,0	1,0-2,0	grijs	RAL 7035
403000.032000025.000	32,0	11,5	5,0	2,5-4,5	zwart	
403000.032000030.000	32,0				zwart	
403000.032000030.001	32,0				wit	
403000.032000030.003	32,0				grijs	
403000.032000030.735	32,0				grijs	RAL 7035
403000.032000035.000	32,0				zwart	
403000.032000900.000	32,0	11,5	5,0	1,0-2,0	zwart	
403000.034000000.000	34,0	11,5	5,0	1,0-3,0	zwart	
403000.034000000.605	34,0	11,5	5,0	1,0-3,0	groen	RAL 6005
403000.034000000.742	34,0	11,5	5,0	1,0-3,0	grijs	RAL 7042
403000.034000000.903	34,0	11,5	5,0	1,0-3,0	wit	RAL 9003
403000.034000000.910	34,0	11,5	5,0	1,0-3,0	wit	RAL 9010
403000.034000010.000	34,0	11,5	5,0	0,5-1,0	zwart	
403000.034000032.906	34,0				alu	RAL9006
403000.034000040.000	34,0	11,5	5,0	3,5-4,0	zwart	
403000.034000040.515	34,0	11,5	5,0	3,5-4,0	blauw	RAL 5015
403000.034000040.742	34,0	11,5	5,0	3,5-4,0	grijs	RAL 7042
403000.034000055.000	34,0				zwart	
403000.034000060.000	34,0				zwart	
403000.034000065.000	34,0				zwart	
403000.035000000.000	35,0	11,5	5,0	1,0-3,0	zwart	
403000.035000000.115	35,0	11,5	5,0	1,0-3,0	creme	RAL 1015
403000.035000000.742	35,0	11,5	5,0	1,0-3,0	grijs	RAL 7042
403000.035000000.903	35,0	11,5	5,0	1,0-3,0	wit	RAL 9003
403000.035000010.000	35,0	14,3	5,0	1,0-2,0	zwart	
403000.035000035.000	35,0	11,5	5,0	3,0-5,0	zwart	
403000.035000065.000	35,0				zwart	
403000.036000000.000	36,0	11,5	5,0	1,0-3,0	zwart	

Artikelcode	D	H	h	Wanddikte		
403000.036000000.517	36,0	11,5	5,0	1,0-3,0	blauw	RAL 5017
403000.036000000.738	36,0	11,5	5,0	1,0-3,0	grijs	RAL 7038
403000.036000010.000	36,0	11,5	5,0	0,5-1,0	zwart	
403000.036000040.000	36,0	11,5	5,0	3,5-4,0	zwart	
403000.036000045.000	36,0				zwart	
403000.036000050.000	36,0				zwart	
403000.036000060.000	36,0				zwart	
403000.036000065.000	36,0				zwart	
403000.036000070.000	36,0				zwart	
403000.037000000.000	37,0	11,5	5,0	1,0-3,0	zwart	
403000.037000035.000	37,0	11,5	5,0	3,0-3,7	zwart	
403000.037000045.000	37,0				zwart	
403000.037000050.000	37,0				zwart	
403000.037000055.000	37,0	11,5	5,0	5,0-5,5	zwart	
403000.038000000.000	38,0	11,7	5,0	1,0-2,0	zwart	
403000.038000000.003	38,0	11,7	5,0	1,0-2,0	grijs	
403000.038000000.113	38,0	11,7	5,0	1,0-2,0	ivory	RAL 1013
403000.038000000.735	38,0	11,7	5,0	1,0-2,0	grijs	RAL 7035
403000.038000000.910	38,0	11,7	5,0	1,0-2,0	wit	RAL 9010
403000.038000010.000	38,0	11,7	5,0	0,5-1,0	zwart	
403000.038000035.000	38,0	11,7	5,0	1,0-3,5	zwart	
403000.038000035.903	38,0	11,7	5,0	1,0-3,5	wit	RAL 9003
403000.038000050.000	38,0				zwart	
403000.038000055.000	38,0	11,7	5,0	5,0-5,5	zwart	
403000.038000060.000	38,0				zwart	
403000.038000060.302	38,0				rood	RAL 3002
403000.038000060.305	38,0				rood	RAL 3005
403000.038000060.320	38,0				rood	RAL 3020
403000.038000060.517	38,0				blauw	RAL 5017
403000.038000060.903	38,0				wit	RAL 9003
403000.038000901.000	38,0				zwart	
403000.038065000.000	38,0				zwart	
403000.040000000.000	40,0	11,7	5,0	1,0-2,0	zwart	
403000.040000000.003	40,0	11,7	5,0	1,0-2,0	grijs	
403000.040000000.735	40,0	11,7	5,0	1,0-2,0	grijs	RAL 7035
403000.040000000.910	40,0	11,7	5,0	1,0-2,0	wit	RAL 9010
403000.040000010.000	40,0	11,7	5,0	0,5-1,0	zwart	
403000.040000030.000	40,0	11,7	5,0	1,0-3,0	zwart	
403000.040000032.000	40,0				zwart	
403000.040000032.001	40,0				wit	
403000.040000032.742	40,0				grijs	RAL 7042
403000.040000060.000	40,0				zwart	
403000.040000065.000	40,0				zwart	

Artikelcode	D	H	h	Wanddikte	
403000.042000000.000	42,0	11,5	5,0	1,0-2,0	zwart
403000.042000000.003	42,0	11,5	5,0	1,0-2,0	grijs
403000.042000000.121	42,0	11,5	5,0	1,0-2,0	geel RAL 1021
403000.042000000.910	42,0	11,5	5,0	1,0-2,0	wit RAL 9010
403000.042000025.000	42,0	11,5	5,0	0,8-2,5	zwart
403000.042000030.000	42,0	12,0	4,7	3,0-4,0	zwart
403000.042000040.000	42,0			2,5-5,0	zwart
403000.042000040.115	42,0			2,5-5,0	creme RAL 1015
403000.042000040.742	42,0			2,5-5,0	grijs RAL 7042
403000.042000040.903	42,0			2,5-5,0	wit RAL 9003
403000.042000040.906	42,0			2,5-5,0	alu RAL9006
403000.043000000.000	43,0	11,5	5,0	2,0-2,5	zwart
403000.043000035.000	43,0	11,5	5,0	3,0-3,5	zwart
403000.045000000.000	45,0	11,5	5,0	0,8-3,5	zwart
403000.045000000.903	45,0	11,5	5,0	0,8-3,5	wit RAL 9003
403000.045000015.000	45,0	11,5	5,0	1,5-2,5	zwart
403000.045000015.003	45,0	11,5	5,0	1,5-2,5	grijs
403000.045000015.735	45,0	11,5	5,0	1,5-2,5	grijs RAL 7035
403000.045000015.910	45,0	11,5	5,0	1,5-2,5	wit RAL 9010
403000.045000030.000	45,0	11,5	5,0	3,0-5,0	zwart
403000.045000055.000	45,0	11,5	5,0	5,0-5,5	zwart
403000.046000000.000	46,0	11,5	5,0	1,5-3,0	zwart
403000.046000000.003	46,0	11,5	5,0	1,5-3,0	grijs
403000.048000000.000	48,0	18,0	5,0	1,5-2,5	zwart
403000.048000000.003	48,0	18,0	5,0	1,5-2,5	grijs
403000.048000000.038	48,0	18,0	5,0	1,5-2,5	alu
403000.048000000.618	48,0	18,0	5,0	1,5-2,5	groen RAL 6018
403000.048000000.701	48,0	18,0	5,0	1,5-2,5	grijs RAL 7001
403000.048000000.910	48,0	18,0	5,0	1,5-2,5	wit RAL 9010
403000.048000003.605	48,0	18,0	5,0	1,5-2,5	groen RAL 6005
403000.048000003.910	48,0	18,0	5,0	1,5-2,5	wit RAL 9010
403000.048000012.000	48,4				zwart
403000.048000012.742	48,4				grijs RAL 7042
403000.048000040.000	48,0	11,5	5,0	2,9-4,0	zwart
403000.048000040.003	48,0	11,5	5,0	2,9-4,0	grijs
403000.048000040.004	48,0	11,5	5,0	2,9-4,0	naturel
403000.048000040.038	48,0	11,5	5,0	2,9-4,0	alu
403000.048000040.102	48,0	11,5	5,0	2,9-4,0	geel RAL 1002
403000.048000040.618	48,0	11,5	5,0	2,9-4,0	groen RAL 6018
403000.048000040.626	48,0	11,5	5,0	2,9-4,0	groen RAL 6025
403000.048000040.701	48,0	11,5	5,0	2,9-4,0	grijs RAL 7001
403000.048000040.910	48,0	11,5	5,0	2,9-4,0	wit RAL 9010
403000.048000043.910	48,0	11,5	5,0	2,9-4,0	wit RAL 9010

Artikelcode	D	H	h	Wanddikte		
403000.048000052.000	48,3				zwart	
403000.048000052.903	48,3				wit	RAL 9003
403000.050000000.000	50,0	11,5	5,0	1,5-2,5	zwart	
403000.050000000.003	50,0	11,5	5,0	1,5-2,5	grijs	
403000.050000000.505	50,0	11,5	5,0	1,5-2,5	blauw	RAL 5005
403000.050000000.735	50,0	11,5	5,0	1,5-2,5	grijs	RAL 7035
403000.050000000.910	50,0	11,5	5,0	1,5-2,5	wit	RAL 9010
403000.050000001.103	50,0	11,5	5,0	1,5-2,5	geel	RAL 1003
403000.050000015.001	50,0				wit	
403000.050000015.003	50,0				grijs	
403000.050000025.000	50,0	11,5	5,0	1,0-2,5	zwart	
403000.050000025.903	50,0	11,5	5,0	1,0-2,5	wit	RAL 9003
403000.050000035.000	50,0	11,5	5,0	2,5-3,5	zwart	
403000.050000035.003	50,0	11,5	5,0	2,5-3,5	grijs	
403000.050000035.735	50,0	11,5	5,0	2,5-3,5	grijs	RAL 7035
403000.050000035.910	50,0	11,5	5,0	2,5-3,5	wit	RAL 9010
403000.050000045.000	50,0				zwart	
403000.050000045.910	50,0				wit	RAL 9010
403000.050800012.000	50,8	11,5	5,0	1,2 - 3,0	zwart	
403000.052000000.000	52,0	14,5	5,0	1,5-3,5	zwart	
403000.052000000.742	52,0	14,5	5,0	1,5-3,5	grijs	RAL 7042
403000.052000000.903	52,0	14,5	5,0	1,5-3,5	wit	RAL 9003
403000.055000000.000	55,0	11,5	5,0	1,0-3,0	zwart	
403000.055000000.903	55,0	11,5	5,0	1,0-3,0	wit	RAL 9003
403000.055000030.000	55,0				zwart	
403000.055000030.003	55,0				grijs	
403000.055000030.735	55,0				grijs	RAL 7035
403000.055000030.910	55,0				wit	RAL 9010
403000.055000050.000	55,0				zwart	
403000.060000000.000	60,0	21,5	5,5	1,5-2,5	zwart	
403000.060000000.003	60,0	21,5	5,5	1,5-2,5	grijs	
403000.060000000.004	60,0	21,5	5,5	1,5-2,5	naturel	
403000.060000000.038	60,0	21,5	5,5	1,5-2,5	alu	
403000.060000000.701	60,0	21,5	5,5	1,5-2,5	grijs	RAL 7001
403000.060000000.735	60,0	21,5	5,5	1,5-2,5	grijs	RAL 7035
403000.060000000.740	60,0	21,5	5,5	1,5-2,5	grijs	RAL 7040
403000.060000000.906	60,0	21,5	5,5	1,5-2,5	alu	RAL9006
403000.060000000.910	60,0	21,5	5,5	1,5-2,5	wit	RAL 9010
403000.060000020.000	60,0	16,5	5,0	1,5-2,0	zwart	
403000.060000030.000	60,0				zwart	
403000.060000040.000	60,0	21,5	5,5	2,9-4,0	zwart	
403000.060000040.003	60,0	21,5	5,5	2,9-4,0	grijs	
403000.060000040.038	60,0	21,5	5,5	2,9-4,0	alu	

Artikelcode	D	H	h	Wanddikte		
403000.060000040.618	60,0	21,5	5,5	2,9-4,0	groen	RAL 6018
403000.060000040.626	60,0	21,5	5,5	2,9-4,0	groen	RAL 6026
403000.060000040.735	60,0	21,5	5,5	2,9-4,0	grijs	RAL 7035
403000.060000040.910	60,0	21,5	5,5	2,9-4,0	wit	RAL 9010
403000.060000051.000	60,0				zwart	
403000.060000051.903	60,0				wit	RAL 9003
403000.065000000.000	65,0	21,0	5,0	1,5-3,5	zwart	
403000.065000000.001	65,0	21,0	5,0	1,5-3,5	wit	
403000.065000000.715	65,0	21,0	5,0	1,5-3,5	grijs	RAL 7015
403000.065000000.742	65,0	21,0	5,0	1,5-3,5	grijs	RAL 7042
403000.070000000.000	70,0	21,0	5,3	2,0-4,5	zwart	
403000.070000000.003	70,0	21,0	5,3	2,0-4,5	grijs	
403000.070000000.735	70,0	21,0	5,3	2,0-4,5	grijs	RAL 7035
403000.070000000.910	70,0	21,0	5,3	2,0-4,5	wit	RAL 9010
403000.070000025.000	70,0				zwart	
403000.070000035.000	70,0	21,0	5,0	1,0-3,5	zwart	RAL 7042
403000.070000035.742	70,0	21,0	5,0	1,0-3,5	grijs	RAL 7042
403000.075000000.000	75,0	21,5	6,0	1,0-3,5	zwart	
403000.075000050.000	75,0				zwart	
403000.075000050.742	75,0				grijs	RAL 7042
403000.075000050.903	75,0				wit	RAL 9003
403000.076000000.000	76,0	21,7	5,0	1,5-2,5	zwart	
403000.076000000.003	76,0	21,7	5,0	1,5-2,5	grijs	
403000.076000000.038	76,0	21,7	5,0	1,5-2,5	alu	
403000.076000000.102	76,0	21,7	5,0	1,5-2,5	geel	RAL 1002
403000.076000000.605	76,0	21,7	5,0	1,5-2,5	groen	RAL 6005
403000.076000000.618	76,0	21,7	5,0	1,5-2,5	groen	RAL 6018
403000.076000000.910	76,0	21,7	5,0	1,5-2,5	wit	RAL 9010
403000.076000015.000	76,0			1,5-4	zwart	
403000.076000015.742	76,0			1,5-4	grijs	RAL 7042
403000.076000040.000	76,0	21,7	5,0	2,9-4,0	zwart	
403000.076000040.003	76,0	21,7	5,0	2,9-4,0	grijs	
403000.076000040.038	76,0	21,7	5,0	2,9-4,0	alu	
403000.076000040.121	76,0	21,7	5,0	2,9-4,0	geel	RAL 1021
403000.076000040.605	76,0	21,7	5,0	2,9-4,0	groen	RAL 6005
403000.076000040.618	76,0	21,7	5,0	2,9-4,0	groen	RAL 6018
403000.076000040.626	76,0	21,7	5,0	2,9-4,0	groen	RAL 6026
403000.076000040.701	76,0	21,7	5,0	2,9-4,0	grijs	
403000.076000040.910	76,0	21,7	5,0	2,9-4,0	wit	RAL 9010
403000.076000060.000	76,0				zwart	
403000.076000060.742	76,0				grijs	RAL 7042
403000.076000060.903	76,0				wit	RAL 9003
403000.080000000.000	80,0	17,5	6,5	1,0-2,0	zwart	

Artikelcode	D	H	h	Wanddikte		
403000.080000000.001	80,0	17,5	6,5	1,0-2,0	wit	
403000.080000015.000	80,0				zwart	
403000.080000015.001	80,0				wit	
403000.080000015.003	80,0				grijs	
403000.080000015.735	80,0				grijs	RAL 7035
403000.080000025.000	80,0	17,5	6,5	1,5-3,0	zwart	
403000.080000025.001	80,0	17,5	6,5	1,5-3,0	wit	
403000.080000025.003	80,0	17,5	6,5	1,5-3,0	grijs	RAL 7042
403000.080000025.612	80,0	17,5	6,5	1,5-3,0	groen	RAL 6012
403000.080000050.000	80,0				zwart	
403000.080000050.742	80,0				grijs	RAL 7042
403000.080000050.903	80,0				wit	RAL 9003
403000.085000000.000	85,0				zwart	
403000.085000000.001	85,0				wit	
403000.085000000.513	85,0				blauw	RAL 5013
403000.085000000.742	85,0				grijs	RAL 7042
403000.085000060.000	85,0				zwart	
403000.085000060.742	85,0				grijs	RAL 7042
403000.085000060.903	85,0				wit	RAL 9003
403000.089000000.000	88,9	21,0	6,0	1,8-4,0	zwart	
403000.089000000.742	88,9	21,0	6,0	1,8-4,0	grijs	RAL 7042
403000.089000035.000	88,9	21,0	6,0	3,5-6,0	zwart	
403000.090000000.000	90,0	20,0	4,0	2,5-5,0	zwart	
403000.090000000.003	90,0	20,0	4,0	2,5-5,0	grijs	
403000.090000000.910	90,0	20,0	4,0	2,5-5,0	wit	RAL 9010
403000.090000015.000	95,0	21,0	4,0	1,0-3,0	zwart	
403000.095000000.000	95,0	21,0	6,0	1,5-4,0	zwart	
403000.100000000.000	100,0	28,0	6,0	2,0-4,5	zwart	
403000.100000045.000	100,0	28,0	6,0	4,5-6,0	zwart	
403000.100000045.742	100,0	28,0	6,0	4,5-6,0	grijs	RAL 7042
403000.100000045.903	100,0	28,0	6,0	4,5-6,0	wit	RAL 9003
403000.100000065.000	100,0	28,0	6,0	6,5-9,0 5/16"	zwart	
403000.102000000.000	102,0	20,0	5,0	2,0-4,0	zwart	
403000.102000000.003	102,0	20,0	5,0	2,0-4,0	grijs	
403000.102000000.038	102,0	20,0	5,0	2,0-4,0	alu	
403000.102000000.910	102,0	20,0	5,0	2,0-4,0	wit	RAL 9010
403000.105000000.000	105,0	28,0	6,0	2,0-4,5	zwart	
403000.108000000.000	108,0	28,0	6,0	2,9-5,0	zwart	
403000.108000000.001	108,0	28,0	6,0	2,9-5,0	wit	
403000.110000000.000	110,0	28,0	6,0	2,0-4,5	zwart	
403000.110000000.001	110,0	28,0	6,0	2,0-4,5	wit	
403000.114000000.000	114,3	28,0	6,0	3,2-5,5	zwart	
403000.114000000.742	114,3	28,0	6,0	3,2-5,5	grijs	RAL 7042

Artikelcode	D	H	h	Wanddikte		
403000.114000000.903	114,3	28,0	6,0	3,2-5,5	wit	RAL 9003
403000.120000000.000	120,0	28,0	6,0	2,0-4,5	zwart	
403000.120000000.742	120,0	28,0	6,0	2,0-4,5	grijs	RAL 7042
403000.120000010.000	120,0				zwart	
403000.120000010.001	120,0				wit	
403000.125000010.000	125,0	34,0	6,0	1,0-4,0	zwart	
403000.125000040.000	125,0	34,0	6,0	4,0-7,5	zwart	
403000.127000000.000	127,0	34,0	6,0	2,0-5,0	zwart	
403000.127000000.742	127,0	34,0	6,0	2,0-5,0	grijs	RAL 7042
403000.127000000.903	127,0	34,0	6,0	2,0-5,0	wit	RAL 9003
403000.127000050.000	127,0	34,0	6,0	5,0-8,5	zwart	
403000.127000050.742	127,0	34,0	6,0	5,0-8,5	grijs	RAL 7042
403000.127000050.903	127,0	34,0	6,0	5,0-8,5	wit	RAL 9003
403000.130000000.000	130,0	34,0	6,0	2,0-6,0	zwart	
403000.133000000.000	133,0	34,0	6,0	2,0-6,0	zwart	
403000.133000000.742	133,0	34,0	6,0	2,0-6,0	grijs	RAL 7042
403000.140000000.000	140,0	34,0	6,0	2,0-6,5	zwart	
403000.150000000.000	150,0	34,0	6,0	2,0-7,0	zwart	
403000.150000000.742	150,0	34,0	6,0	2,0-7,0	grijs	RAL 7042
403000.152400000.000	152,4				zwart	
403000.152400000.742	152,4				grijs	RAL 7042
403000.152400000.903	152,4				wit	RAL 9003
403000.159000000.000	159,0	34,0	6,0	2,0-6,5	zwart	
403000.160000000.000	160,0	34,0	6,0	2,5-7,0	zwart	
403000.160000000.903	160				wit	RAL 9003
403000.165100000.000	165,1				zwart	
403000.165100000.742	165,1				grijs	RAL 7042
403000.165100000.903	165,1				wit	RAL 9003
403000.168000000.000	168,3	34,0	6,0	2,0-6,5	zwart	
403000.177800000.000	177,8				zwart	
403000.177800000.742	177,8				grijs	RAL 7042
403000.177800000.903	177,8				wit	RAL 9003
403000.194000000.000	193,7	34,0	6,0	2,9-8,0	zwart	
403000.194000000.903	193,7	34,0	6,0	2,9-8,0	wit	RAL 9003
403000.220000000.000	219,1	34,0	6,0	3,2-6,5	zwart	
403000.220000000.742	219,1	34,0	6,0	3,2-6,5	grijs	RAL 7042
403000.220000000.903	219,1	34,0	6,0	3,2-6,5	wit	RAL 9003
403000.273000000.000	273	39,0	6,0	2,9-6	zwart	