


## 403300. INDOP PE RECHTHOEKIG/VIKANT

Meerdere wanddiktes leverbaar!



Artikelcode	A	B	H	h	Wanddikte	
403300.015015000.000	15,0	15,0	11,5	5,0	1,0-2,0	zwart
403300.015015000.003	15,0	15,0	11,5	5,0	1,0-2,0	grijs
403300.015015000.735	15,0	15,0	11,5	5,0	1,0-2,0	grijs RAL 7035
403300.015015000.910	15,0	15,0	11,5	5,0	1,0-2,0	wit RAL 9010
403300.016016000.000	16,0	16,0	11,5	5,0	1,0-2,5	zwart
403300.018018000.000	18,0	18,0	11,5	5,0	1,0-2,0	zwart
403300.018018000.001	18,0	18,0	11,5	5,0	1,0-2,0	wit
403300.018018000.003	18,0	18,0	11,5	5,0	1,0-2,0	grijs
403300.018018000.735	18,0	18,0	11,5	5,0	1,0-2,0	grijs RAL 7035
403300.018018030.000	18,0	18,0	11,5	5,0	1,5-3,0	zwart
403300.018018035.000	18,0	18,0	11,5	5,0	3,0-3,5	zwart
403300.020010000.000	20,0	10,0	11,5	3,0	0,75-2,0	zwart
403300.020015000.000	20,0	15,0	11,3	5,0	1,0-2,0	zwart
403300.020015000.003	20,0	15,0	11,3	5,0	1,0-2,0	grijs
403300.020015000.735	20,0	15,0	11,3	5,0	1,0-2,0	grijs RAL 7035
403300.020015000.910	20,0	15,0	11,3	5,0	1,0-2,0	wit RAL 9010
403300.020016000.000	20,0	16,0	11,5	5,0	1,0-2,0	zwart
403300.020020000.000	20,0	20,0	11,8	5,0	1,0-2,0	zwart
403300.020020000.003	20,0	20,0	11,8	5,0	1,0-2,0	grijs
403300.020020000.011	20,0	20,0	11,8	5,0	1,0-2,0	bruin
403300.020020000.115	20,0	20,0	11,8	5,0	1,0-2,0	ivory
403300.020020000.701	20,0	20,0	11,8	5,0	1,0-2,0	grijs
403300.020020000.735	20,0	20,0	11,8	5,0	1,0-2,0	grijs RAL 7035
403300.020020000.739	20,0	20,0	11,8	5,0	1,0-2,0	grijs
403300.020020000.906	20,0	20,0	11,8	5,0	1,0-2,0	alu

Artikelcode	A	B	H	h	Wanddikte		
403300.020020000.910	20,0	20,0	11,8	5,0	1,0-2,0	wit	RAL 9010
403300.020020030.000	20,0	20,0	11,8	5,0	0,8-3,0	zwart	
403300.020020030.736	20,0	20,0	11,8	5,0	0,8-3,0	grijs	
403300.020020930.000	20,0	20,0	11,8	5,0	2,5-3,0	zwart	
403300.022022000.000	22,0	22,0	14,0	5,0	1,0-2,0	zwart	
403300.022022000.001	22,0	22,0	14,0	5,0	1,0-2,0	wit	
403300.022022000.003	22,0	22,0	14,0	5,0	1,0-2,0	grijs	
403300.022022000.735	22,0	22,0	14,0	5,0	1,0-2,0	grijs	RAL 7035
403300.025010000.000	25,0	10,0	11,7	5,0	1,0-2,0	zwart	
403300.025010000.001	25,0	10,0	11,7	5,0	1,0-2,0	wit	
403300.025010000.003	25,0	10,0	11,7	5,0	1,0-2,0	grijs	
403300.025010000.735	25,0	10,0	11,7	5,0	1,0-2,0	grijs	RAL 7035
403300.025015000.000	25,0	15,0	11,8	4,9	1,0-2,0	zwart	
403300.025015000.003	25,0	15,0	11,8	4,9	1,0-2,0	grijs	
403300.025015000.735	25,0	15,0	11,8	4,9	1,0-2,0	grijs	RAL 7035
403300.025015000.910	25,0	15,0	11,8	4,9	1,0-2,0	wit	RAL 9010
403300.025015025.000	25,0	15,0	11,8	4,9	0,8-2,5	zwart	
403300.025020000.000	25,0	20,0	11,5	5,0	1,0-3,0	zwart	
403300.025020000.910	25,0	20,0	11,5	5,0	1,0-3,0	wit	RAL 9010
403300.025025000.000	25,0	25,0	11,5	5,0	1,0-2,0	zwart	
403300.025025000.003	25,0	25,0	11,5	5,0	1,0-2,0	grijs	
403300.025025000.701	25,0	25,0	11,5	5,0	1,0-2,0	grijs	
403300.025025000.735	25,0	25,0	11,5	5,0	1,0-2,0	grijs	RAL 7035
403300.025025000.902	25,0	25,0	11,5	5,0	1,0-2,0	beige	
403300.025025000.906	25,0	25,0	11,5	5,0	1,0-2,0	alu	
403300.025025000.910	25,0	25,0	11,5	5,0	1,0-2,0	wit	RAL 9010
403300.025025010.000	25,0	25,0	11,5	5,0	1,0-3,0	zwart	
403300.025025010.736	25,0	25,0	11,5	5,0	1,0-3,0	grijs	
403300.025025010.742	25,0	25,0	11,5	5,0	1,0-3,0	grijs	RAL 7042
403300.025025010.902	25,0	25,0	11,5	5,0	1,0-3,0	beige	
403300.025025010.903	25,0	25,0	11,5	5,0	1,0-3,0	grijs	RAL 9003
403300.025025030.000	25,0	25,0	11,5	5,0	3,0	zwart	
403300.025025030.001	25,0	25,0	11,5	5,0	2,5-3,0	wit	
403300.025025030.003	25,0	25,0	11,5	5,0	2,5-3,0	grijs	
403300.025025030.735	25,0	25,0	11,5	5,0	2,5-3,0	grijs	RAL 7035
403300.025025035.000	25,0	25,0	11,5	5,0	3,0-3,5	zwart	
403300.027027000.000	27,0	27,0	15,0	5,0	1,0-2,0	zwart	
403300.027027000.001	27,0	27,0	15,0	5,0	1,0-2,0	wit	
403300.027027000.003	27,0	27,0	15,0	5,0	1,0-2,0	grijs	
403300.027027000.735	27,0	27,0	15,0	5,0	1,0-2,0	grijs	RAL 7035
403300.028028000.000	28,0	28,0	11,5	5,0	1,0-3,0	zwart	
403300.030010000.000	30,0	10,0	11,5	3,0	1,0-2,0	zwart	
403300.030010000.001	30,0	10,0	11,5	3,0	1,0-2,0	wit	

Artikelcode	A	B	H	h	Wanddikte	
403300.030010000.003	30,0	10,0	11,5	3,0	1,0-2,0	grijs
403300.030010000.735	30,0	10,0	11,5	3,0	1,0-2,0	grijs RAL 7035
403300.030015000.000	30,0	15,0	11,9	5,0	1,2-2,5	zwart
403300.030015000.003	30,0	15,0	11,9	5,0	1,2-2,5	grijs
403300.030015000.115	30,0	15,0	11,9	5,0	1,2-2,5	ivory
403300.030015000.735	30,0	15,0	11,9	5,0	1,2-2,5	grijs RAL 7035
403300.030015000.910	30,0	15,0	11,9	5,0	1,2-2,5	wit RAL 9010
403300.030015000.990	30,0	15,0	11,9	5,0	1,2-2,5	wit
403300.030020000.000	30,0	20,0	13,9	5,0	1,0-2,0	zwart
403300.030020000.003	30,0	20,0	13,9	5,0	1,0-2,0	grijs
403300.030020000.115	30,0	20,0	13,9	5,0	1,0-2,0	beige
403300.030020000.626	30,0	20,0	13,9	5,0	1,0-2,0	groen
403300.030020000.701	30,0	20,0	13,9	5,0	1,0-2,0	grijs
403300.030020000.730	30,0	20,0	13,9	5,0	1,0-2,0	grijs
403300.030020000.735	30,0	20,0	13,9	5,0	1,0-2,0	grijs RAL 7035
403300.030020000.910	30,0	20,0	13,9	5,0	1,0-2,0	wit RAL 9010
403300.030020010.000	30,0	20,0	11,5	5,0	1,0-3,0	zwart
403300.030020010.626	30,0	20,0	11,5	5,0	1,0-3,0	groen
403300.030020010.735	30,0	20,0	11,5	5,0	1,0-3,0	grijs RAL 7035
403300.030020010.903	30,0	20,0	11,5	5,0	1,0-3,0	wit RAL 9003
403300.030025000.000	30,0	25,0	13,6	5,1	1,0-2,0	zwart
403300.030025000.003	30,0	25,0	13,6	5,1	1,0-2,0	grijs
403300.030025000.735	30,0	25,0	13,6	5,1	1,0-2,0	grijs RAL 7035
403300.030025000.910	30,0	25,0	13,6	5,1	1,0-2,0	wit RAL 9010
403300.030025025.000	30,0	25,0	20,0	6,0	1,0-2,5	zwart
403300.030030000.000	30,0	30,0	13,5	5,0	1,0-2,0	zwart
403300.030030000.003	30,0	30,0	13,5	5,0	1,0-2,0	grijs
403300.030030000.115	30,0	30,0	13,5	5,0	1,0-2,0	ivory
403300.030030000.515	30,0	30,0	13,5	5,0	1,0-2,0	blauw
403300.030030000.619	30,0	30,0	13,5	5,0	1,0-2,0	groen
403300.030030000.701	30,0	30,0	13,5	5,0	1,0-2,0	grijs
403300.030030000.715	30,0	30,0	13,5	5,0	1,0-2,0	grijs
403300.030030000.739	30,0	30,0	13,5	5,0	1,0-2,0	grijs
403300.030030000.814	30,0	30,0	13,5	5,0	1,0-2,0	bruin
403300.030030000.906	30,0	30,0	13,5	5,0	1,0-2,0	alu
403300.030030000.910	30,0	30,0	13,5	5,0	1,0-2,0	wit RAL 9010
403300.030030000.991	30,0	30,0	13,5	5,0	1,0-2,0	wit
403300.030030010.000	30,0	30,0	13,5	5,0	1,0-2,5	zwart
403300.030030010.736	30,0	30,0	13,5	5,0	1,0-2,5	grijs
403300.030030010.742	30,0	30,0	13,5	5,0	1,0-2,5	grijs RAL 7042
403300.030030030.000	30,0	30,0	14,5	5,0	3,0	zwart
403300.030030045.000	30,0	30,0	13,5	5,0	2,5-5,0	zwart
403300.030030045.115	30,0	30,0	13,5	5,0	2,5-5,0	ivory

Artikelcode	A	B	H	h	Wanddikte		
403300.030030045.742	30,0	30,0	13,5	5,0	2,5-5,0	grijs	RAL 7042
403300.030030045.903	30,0	30,0	13,5	5,0	2,5-5,0	wit	RAL 9003
403300.032032000.000	32,0	32,0	11,5	5,0	1,0-3,5	zwart	
403300.032032000.004	32,0	32,0	11,5	5,0	1,0-3,5	natuur	
403300.032032000.735	32,0	32,0	11,5	5,0	1,0-3,5	grijs	RAL 7035
403300.032032000.742	32,0	32,0	11,5	5,0	1,0-3,5	grijs	RAL 7042
403300.035010000.000	35,0	10,0	11,5	3,5	1,0-2,0	zwart	
403300.035015030.000	35,0	15,0	11,5	5,0	1,0-3,0	zwart	
403300.035020000.000	35,0	20,0	11,5	5,0	1,0-2,5	zwart	
403300.035020000.099	35,0	20,0	11,5	5,0	1,0-2,5	goud	
403300.035020000.107	35,0	20,0	11,5	5,0	1,0-2,5	geel	
403300.035020000.300	35,0	20,0	11,5	5,0	1,0-2,5	rood	
403300.035020000.515	35,0	20,0	11,5	5,0	1,0-2,5	blauw	
403300.035020000.628	35,0	20,0	11,5	5,0	1,0-2,5	groen	
403300.035020000.742	35,0	20,0	11,5	5,0	1,0-2,5	grijs	RAL 7042
403300.035020000.903	35,0	20,0	11,5	5,0	1,0-2,5	wit	RAL 9003
403300.035020010.000	35,0	20,0	14,1	4,9	1,0-2,0	zwart	
403300.035020010.003	35,0	20,0	14,1	4,9	1,0-2,0	grijs	
403300.035020010.740	35,0	20,0	14,1	4,9	1,0-2,0	grijs	
403300.035020010.906	35,0	20,0	14,1	4,9	1,0-2,0	alu	
403300.035020010.910	35,0	20,0	14,1	4,9	1,0-2,0	wit	RAL 9010
403300.035025000.000	35,0	25,0	11,5	5,0	1,0-3,0	zwart	
403300.035025000.903	35,0	25,0	11,5	5,0	1,0-3,0	wit	RAL 9003
403300.035025010.000	35,0	25,0	14,6	4,6	1,0-2,0	zwart	
403300.035025010.001	35,0	25,0	14,6	4,6	1,0-2,0	wit	
403300.035025010.003	35,0	25,0	14,6	4,6	1,0-2,0	grijs	
403300.035025010.735	35,0	25,0	14,6	4,6	1,0-2,0	grijs	RAL 7035
403300.035030000.000	35,0	30,0	14,5	5,0	1,0-2,0	zwart	
403300.035030000.003	35,0	30,0	14,5	5,0	1,0-2,0	grijs	
403300.035030000.735	35,0	30,0	14,5	5,0	1,0-2,0	grijs	RAL 7035
403300.035030000.910	35,0	30,0	14,5	5,0	1,0-2,0	wit	RAL 9010
403300.035035000.000	35,0	35,0	14,5	5,0	1,0-2,0	zwart	
403300.035035000.003	35,0	35,0	14,5	5,0	1,0-2,0	grijs	
403300.035035000.701	35,0	35,0	14,5	5,0	1,0-2,0	grijs	
403300.035035000.716	35,0	35,0	14,5	5,0	1,0-2,0	grijs	
403300.035035000.735	35,0	35,0	14,5	5,0	1,0-2,0	grijs	RAL 7035
403300.035035000.910	35,0	35,0	14,5	5,0	1,0-2,0	wit	RAL 9010
403300.035035030.000	35,0	35,0	14,5	5,0	1,0-3,0	zwart	
403300.035035030.736	35,0	35,0	14,5	5,0	1,0-3,0	grijs	
403300.035035050.000	35,0	35,0	11,5	5,0	3,0-5,0	zwart	
403300.036022000.000	36,0	22,0	14,1	4,9	1,0-2,0	zwart	
403300.036022000.001	36,0	22,0	14,1	4,9	1,0-2,0	wit	
403300.036022000.003	36,0	22,0	14,1	4,9	1,0-2,0	grijs	

Artikelcode	A	B	H	h	Wanddikte	
403300.038038000.000	38,0	38,0	14,5	5,0	1,0-3,5	zwart
403300.038038000.902	38,0	38,0	14,5	5,0	1,0-3,5	beige
403300.040010000.000	40,0	10,0	15,0	5,0	1,0-2,0	zwart
403300.040010025.000	40,0	10,0	17,0	5,0	1,0-2,5	zwart
403300.040015000.000	40,0	15,0	11,7	5,0	1,0-2,0	zwart
403300.040015000.001	40,0	15,0	11,7	5,0	1,0-2,0	wit
403300.040015000.003	40,0	15,0	11,7	5,0	1,0-2,0	grijs
403300.040015000.735	40,0	15,0	11,7	5,0	1,0-2,0	grijs RAL 7035
403300.040015025.000	40,0	15,0	10,0	5,0	1,0-2,5	zwart
403300.040020000.000	40,0	20,0	13,7	4,8	1,0-2,0	zwart
403300.040020000.003	40,0	20,0	13,7	4,8	1,0-2,0	grijs
403300.040020000.701	40,0	20,0	13,7	4,8	1,0-2,0	grijs
403300.040020000.723	40,0	20,0	13,7	4,8	1,0-2,0	grijs
403300.040020000.735	40,0	20,0	13,7	4,8	1,0-2,0	grijs RAL 7035
403300.040020000.910	40,0	20,0	13,7	4,8	1,0-2,0	wit RAL 9010
403300.040020025.000	40,0	20,0	11,5	5,0	0,8-3,0	zwart
403300.040020025.742	40,0	20,0	11,5	5,0	0,8-3,0	grijs RAL 7042
403300.040020025.903	40,0	20,0	11,5	5,0	0,8-3,0	wit RAL 9003
403300.040025000.000	40,0	25,0	11,7	4,8	1,0-2,0	zwart
403300.040025000.003	40,0	25,0	11,7	4,8	1,0-2,0	grijs
403300.040025000.735	40,0	25,0	11,7	4,8	1,0-2,0	grijs RAL 7035
403300.040025000.906	40,0	25,0	11,7	4,8	1,0-2,0	alu
403300.040025000.910	40,0	25,0	11,7	4,8	1,0-2,0	wit RAL 9010
403300.040025030.000	40,0	25,0	11,7	4,8	1,0-3,0	zwart
403300.040027000.000	40,0	27,0	17,0	6,0	1,0-3,0	zwart
403300.040030000.000	40,0	30,0	14,4	4,8	1,0-2,0	zwart
403300.040030000.003	40,0	30,0	14,4	4,8	1,0-2,0	grijs
403300.040030000.115	40,0	30,0	14,4	4,8	1,0-2,0	beige
403300.040030000.735	40,0	30,0	14,4	4,8	1,0-2,0	grijs RAL 7035
403300.040030000.910	40,0	30,0	14,4	4,8	1,0-2,0	wit RAL 9010
403300.040030020.000	40,0	30,0	11,5	5,0	1,0-3,0	zwart
403300.040030020.903	40,0	30,0	11,5	5,0	1,0-3,0	wit RAL 9003
403300.040030050.000	40,0	30,0	11,5	5,0	3,0-5,0	zwart
403300.040035000.000	40,0	35,0	11,5	5,0	1,0-3,0	zwart
403300.040040000.000	40,0	40,0	14,3	5,0	1,0-2,0	zwart
403300.040040000.003	40,0	40,0	14,3	5,0	1,0-2,0	grijs
403300.040040000.701	40,0	40,0	14,3	5,0	1,0-2,0	grijs
403300.040040000.738	40,0	40,0	14,3	5,0	1,0-2,0	grijs
403300.040040000.910	40,0	40,0	14,3	5,0	1,0-2,0	wit RAL 9010
403300.040040030.000	40,0	40,0	14,3	5,0	1,0-3,0	zwart
403300.040040030.736	40,0	40,0	14,3	5,0	1,0-3,0	grijs RAL 7036
403300.040040030.742	40,0	40,0	14,3	5,0	1,0-3,0	grijs RAL 7042
403300.040040030.903	40,0	40,0	14,3	5,0	1,0-3,0	wit RAL 9003

Artikelcode	A	B	H	h	Wanddikte	
403300.040040040.000	40,0	40,0	14,3	5,0	3,0-4,0	zwart
403300.040040040.001	40,0	40,0	14,3	5,0	3,0-4,0	wit
403300.040040040.003	40,0	40,0	14,3	5,0	3,0-4,0	grijs
403300.040040040.735	40,0	40,0	14,3	5,0	3,0-4,0	grijs RAL 7035
403300.040040045.000	40,0	40,0	14,5	5,0	3,0-5,0	zwart
403300.040040045.618	40,0	40,0	14,5	5,0	3,0-5,0	wit RAL 6018
403300.040040045.742	40,0	40,0	14,5	5,0	3,0-5,0	grijs RAL 7042
403300.040040045.903	40,0	40,0	14,5	5,0	3,0-5,0	wit RAL 9003
403300.045015000.000	45,0	15,0	11,1	4,8	1,0-2,0	zwart
403300.045015000.001	45,0	15,0	11,1	4,8	1,0-2,0	wit
403300.045015000.003	45,0	15,0	11,1	4,8	1,0-2,0	grijs
403300.045015000.735	45,0	15,0	11,1	4,8	1,0-2,0	grijs RAL 7035
403300.045020000.000	45,0	20,0	11,5	5,0	1,0-3,0	zwart
403300.045020000.742	45,0	20,0	11,5	5,0	1,0-3,0	grijs RAL 7042
403300.045020000.903	45,0	20,0	11,5	5,0	1,0-3,0	wit RAL 9003
403300.045025000.000	45,0	25,0	12,5	5,0	1,0-2,0	zwart
403300.045025000.003	45,0	25,0	12,5	5,0	1,0-2,0	grijs
403300.045025000.735	45,0	25,0	12,5	5,0	1,0-2,0	grijs RAL 7035
403300.045025000.910	45,0	25,0	12,5	5,0	1,0-2,0	wit RAL 9010
403300.045025030.000	45,0	25,0	11,5	5,0	1,0-3,0	zwart
403300.045025030.903	45,0	25,0	11,5	5,0	1,0-3,0	wit RAL 9003
403300.045030000.000	45,0	30,0	11,5	5,0	1,0-3,0	zwart
403300.045035000.000	45,0	35,0	14,5	5,0	1,0-3,0	zwart
403300.045040000.000	45,0	40,0	14,5	5,0	1,0-2,0	zwart
403300.045045000.000	45,0	45,0	14,5	5,0	1,0-3,0	zwart
403300.045045000.742	45,0	45,0	14,5	5,0	1,0-3,0	grijs RAL 7042
403300.045045000.903	45,0	45,0	14,5	5,0	1,0-3,0	wit RAL 9003
403300.045045001.000	45,0	45,0	11,5	5,0	1,0-3,0	zwart
403300.045045001.001	45,0	45,0	11,5	5,0	1,0-3,0	wit
403300.045045001.003	45,0	45,0	11,5	5,0	1,0-3,0	grijs
403300.045045001.735	45,0	45,0	11,5	5,0	1,0-3,0	grijs RAL 7035
403300.045045025.000	45,0	45,0	11,5	5,0	1,0-2,0	zwart
403300.046035001.000	46,0	35,0	11,5	4,9	2,5-3,0	zwart
403300.048038000.000	48,0	38,0	11,5	4,9	1,0-2,0	zwart
403300.048038000.001	48,0	38,0	11,5	4,9	1,0-2,0	wit
403300.048038000.003	48,0	38,0	11,5	4,9	1,0-2,0	grijs
403300.048038000.735	48,0	38,0	11,5	4,9	1,0-2,0	grijs RAL 7035
403300.050010000.000	50,0	10,0	11,5	3,5	1,0-2,0	zwart
403300.050010000.906	50,0	10,0	11,5	3,5	1,0-2,0	alu
403300.050015000.000	50,0	15,0	13,6	4,7	1,0-2,0	zwart
403300.050015000.001	50,0	15,0	13,6	4,7	1,0-2,0	wit
403300.050015000.003	50,0	15,0	13,6	4,7	1,0-2,0	grijs
403300.050015000.735	50,0	15,0	13,6	4,7	1,0-2,0	grijs RAL 7035

Artikelcode	A	B	H	h	Wanddikte		
403300.050015030.000	50,0	15,0	15,05	5,0	1,0-3,0	zwart	
403300.050020000.000	50,0	20,0	13,6	4,8	1,0-2,0	zwart	
403300.050020000.003	50,0	20,0	13,6	4,8	1,0-2,0	grijs	
403300.050020000.113	50,0	20,0	13,6	4,8	1,0-2,0	wit	
403300.050020000.520	50,0	20,0	13,6	4,8	1,0-2,0	blauw	
403300.050020000.902	50,0	20,0	13,6	4,8	1,0-2,0	beige	
403300.050020000.910	50,0	20,0	13,6	4,8	1,0-2,0	wit	RAL 9010
403300.050020000.996	50,0	20,0	13,6	4,8	1,0-2,0	ivory	
403300.050020010.000	50,0	20,0	14,5	5,0	1,0-3,0	zwart	
403300.050020010.742	50,0	20,0	14,5	5,0	1,0-3,0	grijs	RAL 7042
403300.050020010.903	50,0	20,0	14,5	5,0	1,0-3,0	wit	RAL 9003
403300.050025000.000	50,0	25,0	12,2	5,3	1,0-2,0	zwart	
403300.050025000.003	50,0	25,0	12,2	5,3	1,0-2,0	grijs	
403300.050025000.735	50,0	25,0	12,2	5,3	1,0-2,0	grijs	RAL 7035
403300.050025000.737	50,0	25,0	12,2	5,3	1,0-2,0	grijs	
403300.050025000.738	50,0	25,0	12,2	5,3	1,0-2,0	grijs	
403300.050025000.742	50,0	25,0	12,2	5,3	1,0-2,0	grijs	RAL 7042
403300.050025000.910	50,0	25,0	12,2	5,3	1,0-2,0	wit	RAL 9010
403300.050025010.000	50,0	25,0	14,5	5,0	0,8-3,0	zwart	
403300.050030000.000	50,0	30,0	13,6	4,6	1,0-2,0	zwart	
403300.050030000.003	50,0	30,0	13,6	4,6	1,0-2,0	grijs	
403300.050030000.011	50,0	30,0	13,6	4,6	1,0-2,0	bruin	
403300.050030000.032	50,0	30,0	13,6	4,6	1,0-2,0	beige	
403300.050030000.735	50,0	30,0	13,6	4,6	1,0-2,0	grijs	RAL 7035
403300.050030000.910	50,0	30,0	13,6	4,6	1,0-2,0	wit	RAL 9010
403300.050030010.000	50,0	30,0	14,5	5,0	1,0-3,0	zwart	
403300.050030010.903	50,0	30,0	14,5	5,0	1,0-3,0	wit	RAL 9003
403300.050030035.000	50,0	30,0	14,5	5,0	3,5-5,0	zwart	
403300.050034000.000	50,0	34,0	14,5	5,0	1,0-3,5	zwart	
403300.050035000.000	50,0	35,0	14,5	5,0	1,0-3,5	zwart	
403300.050040000.000	50,0	40,0	12,2	5,3	1,0-2,0	zwart	
403300.050040000.003	50,0	40,0	12,2	5,3	1,0-2,0	grijs	
403300.050040000.735	50,0	40,0	12,2	5,3	1,0-2,0	grijs	RAL 7035
403300.050040000.910	50,0	40,0	12,2	5,3	1,0-2,0	wit	RAL 9010
403300.050040005.000	50,0	40,0	12,2	5,3	1,0-2,0	zwart	
403300.050040010.000	50,0	40,0	14,5	5,0	0,8-3,0	zwart	RAL 9005
403300.050040010.903	50,0	40,0	14,5	5,0	0,8-3,0	wit	RAL 9003
403300.050040030.000	50,0	40,0	12,2	5,3	3,0-4,0	zwart	
403300.050040030.001	50,0	40,0	12,2	5,3	3,0-4,0	wit	
403300.050040030.003	50,0	40,0	12,2	5,3	3,0-4,0	grijs	
403300.050040030.735	50,0	40,0	12,2	5,3	3,0-4,0	grijs	RAL 7035
403300.050050000.000	50,0	50,0	19,0	5,0	1,5-2,5	zwart	
403300.050050000.003	50,0	50,0	19,0	5,0	1,5-2,5	grijs	

Artikelcode	A	B	H	h	Wanddikte	
403300.050050000.906	50,0	50,0	19,0	5,0	1,5-2,5	alu
403300.050050000.910	50,0	50,0	19,0	5,0	1,5-2,5	wit RAL 9010
403300.050050010.000	50,0	50,0	14,5	5,0	0,8-2,5	zwart
403300.050050010.742	50,0	50,0	14,5	5,0	0,8-2,5	wit RAL 7042
403300.050050010.903	50,0	50,0	14,5	5,0	0,8-2,5	wit RAL 9003
403300.050050025.000	50,0	50,0	19,0	5,0	2,5-5,0	zwart
403300.050050025.001	50,0	50,0	19,0	5,0	2,5-5,0	wit
403300.050050025.003	50,0	50,0	19,0	5,0	2,5-5,0	grijs
403300.050050025.735	50,0	50,0	19,0	5,0	2,5-5,0	grijs RAL 7035
403300.050050035.742	50,0	50,0	14,5	5,0	3,0-5,0	grijs RAL 7042
403300.050050035.903	50,0	50,0	14,5	5,0	3,0-5,0	wit RAL 9003
403300.052052000.000	52,0	52,0	14,5	5,0	1,0-3,0	zwart
403300.055034000.000	55,0	34,0	14,5	5,0	1,5-4,0	zwart
403300.055034010.000	55,0	34,0	14,5	5,0	1,0-2,0	zwart
403300.055035000.000	55,0	35,0	14,5	5,0	1,0-2,0	zwart
403300.055035000.001	55,0	35,0	14,5	5,0	1,0-2,0	wit
403300.055035000.003	55,0	35,0	14,5	5,0	1,0-2,0	grijs
403300.055035000.735	55,0	35,0	14,5	5,0	1,0-2,0	grijs RAL 7035
403300.055040000.000	55,0	40,0	14,5	5,0	1,5-4,0	zwart
403300.055055000.000	55,0	55,0	14,5	5,0	2,0-4,5	zwart
403300.060010000.000	60,0	10,0	12,0	4,0	1,0-3,0	zwart
403300.060015000.000	60,0	15,0	14,5	5,0	1,0-2,5	zwart
403300.060020000.000	60,0	20,0	14,5	5,0	1,0-3,0	zwart
403300.060020000.742	60,0	20,0	14,5	5,0	1,0-3,0	grijs RAL 7042
403300.060020000.903	60,0	20,0	14,5	5,0	1,0-3,0	wit RAL 9003
403300.060020000.906	60,0	20,0	14,5	5,0	1,0-3,0	alu
403300.060020010.000	60,0	20,0	12,0	4,0	1,0-2,0	zwart
403300.060020010.003	60,0	20,0	12,0	4,0	1,0-2,0	grijs
403300.060020010.011	60,0	20,0	12,0	4,0	1,0-2,0	bruin
403300.060020010.735	60,0	20,0	12,0	4,0	1,0-2,0	grijs RAL 7035
403300.060020010.910	60,0	20,0	12,0	4,0	1,0-2,0	wit RAL 9010
403300.060020030.000	60,0	20,0	15,0	6,0	1,0-3,0	zwart
403300.060025000.000	60,0	25,0	14,5	5,0	0,8-2,5	zwart
403300.060025000.735	60,0	25,0	14,5	5,0	0,8-3,0	grijs RAL 7035
403300.060025000.903	60,0	25,0	14,5	5,0	0,8-3,0	wit RAL 9003
403300.060025000.906	60,0	25,0	14,5	5,0	0,8-3,0	alu
403300.060030000.000	60,0	30,0	13,7	5,0	1,0-2,0	zwart
403300.060030000.003	60,0	30,0	13,7	5,0	1,0-2,0	grijs
403300.060030000.032	60,0	30,0	13,7	5,0	1,0-2,0	beige
403300.060030000.115	60,0	30,0	13,7	5,0	1,0-2,0	beige
403300.060030000.502	60,0	30,0	13,7	5,0	1,0-2,0	blauw
403300.060030000.703	60,0	30,0	13,7	5,0	1,0-2,0	grijs
403300.060030000.735	60,0	30,0	13,7	5,0	1,0-2,0	grijs RAL 7035



Artikelcode	A	B	H	h	Wanddikte		
403300.060030000.742	60,0	30,0	13,7	5,0	1,0-2,0	grijs	RAL 7042
403300.060030000.814	60,0	30,0	13,7	5,0	1,0-2,0	bruin	
403300.060030000.901	60,0	30,0	13,7	5,0	1,0-2,0	wit	
403300.060030010.000	60,0	30,0	14,5	5,2	1,0-3,0	zwart	
403300.060030010.736	60,0	30,0	14,5	5,2	1,0-3,0	grijs	
403300.060030010.902	60,0	30,0	14,5	5,2	1,0-3,0	beige	
403300.060030015.000	60,0	30,0	14,5	5,0	3,0-5,0	zwart	
403300.060030015.742	60,0	30,0	14,5	5,0	3,0-5,0	grijs	RAL 7042
403300.060030015.903	60,0	30,0	14,5	5,0	3,0-5,0	wit	RAL 9003
403300.060030020.000	60,0	30,0	14,5	5,0	2,0-4,0	zwart	
403300.060030020.903	60,0	30,0	14,5	5,0	2,5-4,0	wit	RAL 9003
403300.060033000.000	60,0	33,0	14,5	5,0	1,5-3,5	zwart	
403300.060035000.000	60,0	35,0	14,1	5,0	1,5-3,5	zwart	
403300.060040000.000	60,0	40,0	15,2	6,2	1,0-2,0	zwart	
403300.060040000.003	60,0	40,0	15,2	6,2	1,0-2,0	grijs	
403300.060040000.605	60,0	40,0	15,2	6,2	1,0-2,0	groen	
403300.060040000.735	60,0	40,0	15,2	6,2	1,0-2,0	grijs	RAL 7035
403300.060040000.740	60,0	40,0	15,2	6,2	1,0-2,0	grijs	
403300.060040000.910	60,0	40,0	15,2	6,2	1,0-2,0	wit	RAL 9010
403300.060040010.103	60,0	40,0	15,2	6,2	1,0-2,0	geel	
403300.060040030.000	60,0	40,0	15,2	6,2	1,0-3,0	zwart	
403300.060040030.001	60,0	40,0	15,2	6,2	1,0-3,0	wit	
403300.060040030.515	60,0	40,0	15,2	6,2	1,0-3,0	blauw	
403300.060040030.735	60,0	40,0	15,2	6,2	1,0-3,0	grijs	RAL 7035
403300.060040030.742	60,0	40,0	15,2	6,2	1,0-3,0	grijs	RAL 7042
403300.060040030.902	60,0	40,0	15,2	6,2	1,0-3,0	beige	
403300.060045000.000	60,0	45,0	14,5	5,0	1,5-4,0	zwart	
403300.060050000.000	60,0	50,0	14,5	5,0	1,5-3,5	zwart	
403300.060050000.742	60,0	50,0	14,5	5,0	1,5-3,5	grijs	RAL 7042
403300.060060000.000	60,0	60,0	19,0	4,0	1,5-2,5	zwart	
403300.060060000.003	60,0	60,0	19,0	4,0	1,5-2,5	grijs	
403300.060060000.605	60,0	60,0	19,0	4,0	1,5-2,5	groen	
403300.060060000.701	60,0	60,0	19,0	4,0	1,5-2,5	grijs	
403300.060060000.901	60,0	60,0	19,0	4,0	1,5-2,5	wit	
403300.060060025.000	60,0	60,0	19,0	4,0	2,5-5,0	zwart	
403300.060060025.001	60,0	60,0	19,0	4,0	2,5-5,0	wit	
403300.060060025.003	60,0	60,0	19,0	4,0	2,5-5,0	grijs	
403300.060060025.735	60,0	60,0	19,0	4,0	2,5-5,0	grijs	RAL 7035
403300.060060040.000	60,0	60,0	14,4	5,0	3,0-4,0	zwart	
403300.060060040.001	60,0	60,0	14,4	5,0	3,0-4,0	wit	
403300.060060040.003	60,0	60,0	14,4	5,0	3,0-4,0	grijs	
403300.065035000.000	65,0	35,0	21,0	5,0	1,0-3,0	zwart	
403300.065065000.000	65,0	65,0	21,0	5,0	2,5-4,5	zwart	

Artikelcode	A	B	H	h	Wanddikte	
403300.070020000.000	70,0	20,0	19,5	5,1	1,0-2,0	zwart
403300.070020000.003	70,0	20,0	19,5	5,1	1,0-2,0	grijs
403300.070020000.735	70,0	20,0	19,5	5,1	1,0-2,0	grijs RAL 7035
403300.070020000.901	70,0	20,0	19,5	5,1	1,0-2,0	wit
403300.070020000.966	70,0	20,0	19,5	5,1	1,0-2,0	ivory
403300.070025000.000	70,0	25,0	17,0	5,1	1,0-2,0	zwart
403300.070025000.001	70,0	25,0	17,0	5,1	1,0-2,0	wit
403300.070025000.003	70,0	25,0	17,0	5,1	1,0-2,0	grijs
403300.070025000.735	70,0	25,0	17,0	5,1	1,0-2,0	grijs RAL 7035
403300.070030000.000	70,0	30,0	13,5	5,0	1,0-3,0	zwart
403300.070030000.001	70,0	30,0	13,5	5,0	1,0-3,0	wit
403300.070030000.742	70,0	30,0	13,5	5,0	1,0-3,0	grijs RAL 7042
403300.070035000.000	70,0	35,0	17,5	5,0	1,5-3,5	zwart
403300.070040000.000	70,0	40,0	17,9	5,7	1,0-2,0	zwart
403300.070040000.003	70,0	40,0	17,9	5,7	1,0-2,0	grijs
403300.070040000.735	70,0	40,0	17,9	5,7	1,0-2,0	grijs RAL 7035
403300.070040000.901	70,0	40,0	17,9	5,7	1,0-2,0	wit
403300.070040030.000	70,0	40,0	14,5	5,0	1,0-3,0	zwart
403300.070040030.742	70,0	40,0	14,5	5,0	1,0-3,0	grijs RAL 7042
403300.070050000.000	70,0	50,0	14,5	5,0	2,0-4,0	zwart
403300.070050000.742	70,0	50,0	14,5	5,0	2,0-4,0	grijs RAL 7042
403300.070050000.903	70,0	50,0	14,5	5,0	2,0-4,0	grijs RAL 9003
403300.070070000.000	70,0	70,0	19,0	5,0	2,0-4,0	zwart
403300.070070000.003	70,0	70,0	19,0	5,0	2,0-4,0	grijs
403300.070070000.735	70,0	70,0	19,0	5,0	2,0-4,0	grijs RAL 7035
403300.070070000.901	70,0	70,0	19,0	5,0	2,0-4,0	wit
403300.070070025.000	70,0	70,0	18,7	5,0	2,0-4,5	zwart
403300.070070025.903	70,0	70,0	18,7	5,0	2,0-4,5	wit RAL 9003
403300.075025000.000	75,0	25,0	13,0	5,0	1,5-2,0	zwart
403300.075050000.000	75,0	50,0	14,5	5,0	0,8-2,5	zwart
403300.075050025.000	75,0	50,0	14,5	5,0	2,5-4,5	zwart
403300.075075045.000	75,0	75,0	20,0	8,0	2,0-4,5	zwart
403300.076050800.000	76,2	50,8	14,5	5,0	1,5-3,0	zwart
403300.076050810.000	76,2	50,8	14,5	5,0	3,0-5,0	zwart
403300.080020000.000	80,0	20,0	17,9	6,0	1,0-2,0	zwart
403300.080020000.001	80,0	20,0	17,9	6,0	1,0-2,0	wit
403300.080020000.003	80,0	20,0	17,9	6,0	1,0-2,0	grijs
403300.080020000.735	80,0	20,0	17,9	6,0	1,0-2,0	grijs RAL 7035
403300.080020040.000	80,0	20,0	16,0	6,0	1,0-4,0	zwart
403300.080025000.000	80,0	25,0	14,5	5,0	1,0-3,0	zwart
403300.080030025.000	80,0	30,0	14,5	5,0	1,0-2,5	zwart
403300.080030025.903	80,0	30,0	14,5	5,0	1,0-2,5	wit RAL 9003
403300.080030040.000	80,0	30,0	14,5	5,0	2,5-4,0	zwart

Artikelcode	A	B	H	h	Wanddikte		
403300.080030040.742	80,0	30,0	14,5	5,0	2,5-4,0	grijs	RAL 7042
403300.080030040.903	80,0	30,0	14,5	5,0	2,5-4,0	wit	RAL 9003
403300.080040000.000	80,0	40,0	14,5	5,0	1,0-3,0	zwart	
403300.080040000.742	80,0	40,0	14,5	5,0	1,0-3,0	grijs	RAL 7042
403300.080040000.903	80,0	40,0	14,5	5,0	1,0-3,0	wit	RAL 9003
403300.080040010.000	80,0	40,0	18,2	5,5	1,0-2,0	zwart	
403300.080040010.003	80,0	40,0	18,2	5,5	1,0-2,0	grijs	
403300.080040010.515	80,0	40,0	18,2	5,5	1,0-2,0	blauw	
403300.080040010.701	80,0	40,0	18,2	5,5	1,0-2,0	grijs	
403300.080040010.735	80,0	40,0	18,2	5,5	1,0-2,0	grijs	RAL 7035
403300.080040010.901	80,0	40,0	18,2	5,5	1,0-2,0	wit	
403300.080040030.000	80,0	40,0	18,0	6,5	1,0-3,0	zwart	
403300.080040040.000	80,0	40,0	18,0	5,0	4,0	zwart	
403300.080040050.000	80,0	40,0	18,0	6,5	3,0-5,0	zwart	
403300.080045000.000	80,0	45,0	14,5	5,0	1,5-3,5	zwart	
403300.080050000.000	80,0	50,0	11,5	5,0	2,0-4,0	zwart	
403300.080050010.000	80,0	50,0	19,0	6,0	1,0-2,5	zwart	
403300.080050015.000	80,0	50,0	21,5	4,5	1,5-3,5	zwart	
403300.080050015.903	80,0	50,0	21,5	4,5	1,5-3,5	wit	RAL 9003
403300.080050020.000	80,0	50,0	24,0	5,0	2,0-4,0	zwart	
403300.080050020.003	80,0	50,0	24,0	5,0	2,0-4,0	grijs	
403300.080050020.735	80,0	50,0	24,0	5,0	2,0-4,0	grijs	RAL 7035
403300.080050020.901	80,0	50,0	24,0	5,0	2,0-4,0	wit	
403300.080060000.000	80,0	60,0	24,0	5,0	1,5-4,5	zwart	
403300.080060000.742	80,0	60,0	24,0	5,0	1,5-4,5	grijs	RAL 7042
403300.080060000.903	80,0	60,0	24,0	5,0	1,5-4,5	wit	RAL 9003
403300.080060000.906	80,0	60,0	24,0	5,0	1,5-4,5	alu	
403300.080060040.000	80,0	60,0	24,0	4,0	6,0	zwart	
403300.080060040.742	80,0	60,0	24,0	4,0	6,0	grijs	RAL 7042
403300.080060050.000	80,0	60,0	18,2	5,2	5	zwart	
403300.080060050.003	80,0	60,0	18,2	5,2	5	grijs	
403300.080080000.000	80,0	80,0	21,0	6,0	2,0-4,0	zwart	
403300.080080000.742	80,0	80,0	21,0	6,0	2,0-4,0	grijs	RAL 7042
403300.080080000.903	80,0	80,0	21,0	6,0	2,0-4,0	wit	RAL 9003
403300.080080025.000	80,0	80,0	17,0	6,0	1,5-2,5	zwart	
403300.080080025.001	80,0	80,0	17,0	6,0	1,5-2,5	wit	
403300.080080040.000	80,0	80,0	17,0	5,0	3,0-4,0	zwart	
403300.080080040.001	80,0	80,0	17,0	5,0	3,0-4,0	wit	
403300.080080040.003	80,0	80,0	17,0	5,0	3,0-4,0	grijs	
403300.080080040.735	80,0	80,0	17,0	5,0	3,0-4,0	grijs	RAL 7035
403300.080080050.000	80,0	80,0	24,0	5,0	2,9-5,0	zwart	
403300.080080050.605	80,0	80,0	24,0	5,0	2,9-5,0	groen	
403300.080080050.903	80,0	80,0	24,0	5,0	2,9-5,0	wit	RAL 9003

Artikelcode	A	B	H	h	Wanddikte	
403300.090020000.000	90,0	20,0	14,5	5,0	1,0-2,5	zwart
403300.090040000.000	90,0	40,0	14,5	5,0	2,0-4,5	zwart
403300.090050000.000	90,0	50,0	21,5	6,0	2,0-4,5	zwart
403300.090050000.742	90,0	50,0	21,5	6,0	2,0-4,5	grijs RAL 7042
403300.090050000.903	90,0	50,0	21,5	6,0	2,0-4,5	wit RAL 9003
403300.090070000.000	90,0	70,0	21,5	6,0	3,0-5,5	zwart
403300.090090000.000	90,0	90,0	18,0	5,0	2,5-5,0	zwart
403300.090090000.001	90,0	90,0	18,0	5,0	2,5-5,0	wit
403300.090090030.000	90,0	90,0	18,0	5,0	3,0-5,0	zwart
403300.090090030.742	90,0	90,0	18,0	5,0	3,0-5,0	grijs RAL 7042
403300.100020000.000	100,0	20,0	14,5	5,0	1,5-3,0	zwart
403300.100020000.742	100,0	20,0	14,5	5,0	1,5-3,0	grijs RAL 7042
403300.100025000.000	100,0	25,0	14,5	5,0	1,5-3,0	zwart
403300.100030000.000	100,0	30,0	14,5	5,0	1,5-3,5	zwart
403300.100030000.001	100,0	30,0	14,5	5,0	1,5-3,5	wit
403300.100030000.742	100,0	30,0	14,5	5,0	1,5-3,5	grijs RAL 7042
403300.100040000.000	100,0	40,0	14,5	5,0	1,5-3,5	zwart
403300.100040000.742	100,0	40,0	14,5	5,0	1,5-3,5	grijs RAL 7042
403300.100040000.903	100,0	40,0	14,5	5,0	1,5-3,5	wit
403300.100040020.000	100,0	40,0	18,6	5,0	1,5-2,0	zwart
403300.100050000.000	100,0	50,0	17,6	5,1	2,0-3,0	zwart
403300.100050000.003	100,0	50,0	17,6	5,1	2,0-3,0	grijs
403300.100050000.735	100,0	50,0	17,6	5,1	2,0-3,0	grijs RAL 7035
403300.100050000.910	100,0	50,0	17,6	5,1	2,0-3,0	wit RAL 9010
403300.100050020.000	100,0	50,0	18,5	8,0	1,5-4,5	zwart
403300.100050020.903	100,0	50,0	18,5	8,0	1,5-4,5	wit RAL 9003
403300.100060000.000	100,0	60,0	24,5	6,0	2,5-4,5	zwart
403300.100060000.742	100,0	60,0	24,5	6,0	2,5-4,5	grijs RAL 7042
403300.100060000.903	100,0	60,0	24,5	6,0	2,5-4,5	wit RAL 9003
403300.100080000.000	100,0	80,0	24,0	6,0	3,0-5,5	zwart
403300.100080040.000	100,0	80,0	19,0	6,0	1,0-4,0	zwart
403300.100100000.000	100,0	100,0	24,0	7,0	3,0-6,0	zwart
403300.100100000.001	100,0	100,0	24,0	7,0	3,0-6,0	wit
403300.100100000.003	100,0	100,0	24,0	7,0	3,0-6,0	grijs
403300.100100000.735	100,0	100,0	24,0	7,0	3,0-6,0	grijs RAL 7035
403300.100100015.000	100,0	100,0	24,0	7,0	1,5-3,5	zwart
403300.100100040.000	100,0	100,0	24,0	7,0	1,0-4,0	zwart
403300.100100040.605	100,0	100,0	24,0	7,0	1,0-4,0	groen
403300.100100040.701	100,0	100,0	24,0	7,0	1,0-4,0	grijs
403300.100100080.000	100,0	100,0	24,0	7,0	5,0-8,0	zwart
403300.110060000.000	110,0	60,0	24,0	6,0	3,5-5,5	zwart
403300.110070000.000	110,0	70,0	24,0	6,0	3,0-5,0	zwart
403300.110110000.000	110,0	110,0	24,5	6,0	3,0-5,0	zwart

Artikelcode	A	B	H	h	Wanddikte		
403300.110110000.001	110,0	110,0	24,5	6,0	3,0-5,0	wit	RAL 9003
403300.110110000.742	110,0	110,0	24,5	6,0	3,0-5,0	grijs	RAL 7042
403300.120030000.000	120,0	30,0	14,5	5,0	1,0-2,5	zwart	
403300.120030000.910	120,0	30,0	14,5	5,0	1,0-2,5	wit	RAL 9010
403300.120040000.000	120,0	40,0	17,0	5,2	3,0-5,0	zwart	
403300.120040000.742	120,0	40,0	17,0	5,2	3,0-5,0	grijs	RAL 7042
403300.120040015.000	120,0	40,0	16,0	5,0	1,5-2,0	zwart	
403300.120050000.000	120,0	50,0	21,5	6,0	3,0-5,5	zwart	
403300.120060000.000	120,0	60,0	24,2	5,0	2,0-3,0	zwart	
403300.120060000.001	120,0	60,0	24,2	5,0	2,0-3,0	wit	
403300.120060000.003	120,0	60,0	24,2	5,0	2,0-3,0	grijs	
403300.120060000.735	120,0	60,0	24,2	5,0	2,0-3,0	grijs	RAL 7035
403300.120060020.000	120,0	60,0	24,2	5,0	2,0-4,0	zwart	
403300.120080000.000	120,0	80,0	24,5	5,0	2,0-3,0	zwart	
403300.120080000.001	120,0	80,0	24,5	5,0	2,0-3,0	wit	
403300.120080000.003	120,0	80,0	24,5	5,0	2,0-3,0	grijs	
403300.120080080.000	120,0	80,0	24,0	6,0	5,0-8,0	zwart	
403300.120100000.000	120,0	100,0	24,0	6,0	3,5-6,0	zwart	
403300.120120000.000	120,0	120,0	25,0	5,0	2,5-5,0	zwart	
403300.120120000.001	120,0	120,0	25,0	5,0	2,5-5,0	wit	
403300.120120000.003	120,0	120,0	25,0	5,0	2,5-5,0	grijs	
403300.120120000.735	120,0	120,0	25,0	5,0	2,5-5,0	grijs	RAL 7035
403300.140070025.000	140,0	70,0	24,5	6,0	2,5-5,5	zwart	
403300.140080000.000	140,0	80,0	24,5	5,0	2,0-4,5	zwart	
403300.140100000.000	140,0	100,0	24,5	5,0	3,0-6,0	zwart	
403300.140140600.000	140,0	140,0	35,0	6,0	4,0-7,0	zwart	
403300.150030000.000	150,0	30,0	35,0	6,0	1,5-3,0	zwart	
403300.150030000.742	150,0	30,0	35,0	6,0	1,5-3,0	grijs	RAL 7042
403300.150030000.903	150,0	30,0	35,0	6,0	1,5-3,0	wit	RAL 9003
403300.150040020.000	150,0	40,0	21,5	6,0	2,0-4,5	zwart	
403300.150040020.742	150,0	40,0	21,5	6,0	2,0-4,5	grijs	RAL 7042
403300.150040020.903	150,0	40,0	21,5	6,0	2,0-4,5	wit	RAL 9003
403300.150050000.000	150,0	50,0	28,0	6,0	2,0-4,0	zwart	
403300.150050000.903	150,0	50,0	28,0	6,0	2,0-4,0	wit	
403300.150050040.000	150,0	50,0	28,0	6,0	4,0-7,0	zwart	
403300.150050050.000	150,0	50,0	20,0	6,0	2,0-5,0	zwart	
403300.150060000.000	150,0	60,0	21,5	6,0	2,5-5,0	zwart	
403300.150075000.000	150,0	75,0	21,5	5,0	2,5-5,5	zwart	
403300.150075085.000	150,0	75,0	21,5	5,0	5,5-8,5	zwart	
403300.150100000.000	150,0	100,0	27,5	7,0	3,0-5,5	zwart	
403300.150100015.000	150,0	100,0	24,5	5,0	1,5-4,5	zwart	
403300.150150000.000	150,0	150,0	27,0	7,0	5,0-8,0	zwart	
403300.150150000.003	150,0	150,0	27,0	7,0	5,0-8,0	grijs	

Artikelcode	A	B	H	h	Wanddikte		
403300.150150100.000	150,0	150,0	27,0	7,0	10,0-12,5	zwart	
403300.160080000.000	160,0	80,0	24,0	6,0	3,0-5,5	zwart	
403300.160080000.742	160,0	80,0	24	6,0	3,0-5,5	grijs	RAL 7042
403300.160080000.903	160,0	80,0	24	6,0	3,0-5,5	wit	RAL 9003
403300.170050040.000	170,0	50,0	19,0	5,5	2,0-4,0	zwart	
403300.200100055.000	200,0	100,0	19,0	6,0	4,0-5,5	zwart	
403300.200120000.000	200,0	120,0	40	6,0	6,3-9,0	zwart	
403300.200120000.742	200,0	120,0	40	6,0	6,3-9,0	grijs	RAL 7042
403300.200120000.903	200,0	120,0	40	6,0	6,3-9,0	wit	RAL 9003
403300.200200000.000	200,0	200,0	35	6,0	3,0-7,0	wit	RAL 9005