


413200. AFSTANDSZADEL PA / PE / EVA

Let op niet alle uitvoeringen hebben een kamer aan de vlakke zijde.

Indien d1 & h geen waarde, dan uitvoering zonder kamer.

Zie onderstaande tabel voor uitvoeringen en maten.



Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.071105225.000	6,0	12,0-14,0	11,0	5,2	2,5			PE zwart
413200.071304020.004	6,5	12,0-14,0	13,0	4,2	2,2			PA naturel
413200.071305020.004	6,5	12,0-14,0	13,0	5,2	2,2			PA naturel
413200.071305051.000	6,5	12,0-16,0	13,0	5,5	5,0			PE zwart
413200.071305051.001	6,5	12,0-16,0	13,0	5,5	5,0			PE wit
413200.071305071.000	6,5	12,0-16,0	13,0	5,5	7,0			PE zwart
413200.071305071.001	6,5	12,0-16,0	13,0	5,5	7,0			PE wit
413200.071305141.000	6,5	12,0-16,0	13,0	5,5	14,0			PE zwart
413200.071305141.001	6,5	12,0-16,0	13,0	5,5	14,0			PE wit
413200.071706051.000	7,0	12,0-16,0	17,0	6,0	5,0			PE zwart
413200.071706051.001	7,0	12,0-16,0	17,0	6,0	5,0			PE wit
413200.071706071.000	7,0	12,0-16,0	17,0	6,0	7,0			PE zwart
413200.071706071.001	7,0	12,0-16,0	17,0	6,0	7,0			PE wit
413200.071706101.000	7,0	12,0-16,0	17,0	6,0	10,0			PE zwart
413200.071706101.001	7,0	12,0-16,0	17,0	6,0	10,0			PE wit
413200.071706141.000	7,0	12,0-16,0	17,0	6,0	14,0			PE zwart
413200.071706141.001	7,0	12,0-16,0	17,0	6,0	14,0			PE wit
413200.071706161.000	7,0	12,0-16,0	17,0	6,0	16,0			PE zwart
413200.071706161.001	7,0	12,0-16,0	17,0	6,0	16,0			PE wit
413200.081506050.000	8,0	16,0	15,0	6,4	5,0			PA zwart
413200.081506071.000	8,0	16,0	15,0	6,2	7,5			PE zwart
413200.081506071.004	8,0	16,0	15,0	6,2	7,5			PE naturel
413200.081506101.000	8,0	16,0	15,0	6,2	10,0			PE zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h
413200.081506101.004	8,0	16,0	15,0	6,2	10,0		PE naturel
413200.081506121.000	8,0	16,0	15,0	6,2	12,5		PE zwart
413200.081506121.004	8,0	16,0	15,0	6,2	12,5		PE naturel
413200.081506151.000	8,0	16,0	15,0	6,2	15,0		PE zwart
413200.081506151.004	8,0	16,0	15,0	6,2	15,0		PE naturel
413200.081506171.000	8,0	16,0	15,0	6,2	17,5		PE zwart
413200.081605020.004	8,0	15,0-17,0	16,0	5,0	2,4		PA naturel
413200.081806171.000	8,0	16,0-20,0	18,0	6,7	17,0		PE zwart
413200.081806171.004	8,0	16,0-20,0	18,0	6,7	17,0		PE naturel
413200.082046050.000	8,0	20,0	4,6	5,0	10,0		EVA zwart
413200.082046051.000	8,0	20,0	4,6	5,0	10,0		PE zwart
413200.082246050.000	8,0	22,0	4,6	5,0	10,0		EVA zwart
413200.082246051.000	8,0	22,0	4,6	5,0	10,0		PE zwart
413200.082304111.000	8,0	16,0-23,0	23,0	4,1	11,5		PE zwart
413200.091705225.000	9,0	18,0-20,0	17,0	5,2	2,5		PA zwart
413200.091706225.000	9,0	18,0-20,0	17,0	6,2	2,5		PA zwart
413200.091905020.004	9,5	18,0-20,0	19,0	5,2	2,7		PA naturel
413200.091906020.004	9,5	18,0-20,0	19,0	6,5	2,7		PA naturel
413200.092006030.000	9,5	18,0-20,0	20,0	6,5	3,0		PA zwart
413200.092006030.009	9,5	18,0-20,0	20,0	6,5	3,0		PA grijs
413200.092006030.742	9,5	18,0-20,0	20,0	6,5	3,0		PA grijs
413200.092006040.000	9,5	18,0-20,0	20,0	6,5	4,0		PA zwart
413200.092006050.000	9,5	18,0-20,0	20,0	6,5	5,0		PA zwart
413200.092006060.000	9,5	18,0-20,0	20,0	6,5	6,0		PA zwart
413200.092006070.000	9,5	18,0-20,0	20,0	6,5	7,0		PA zwart
413200.092006080.000	9,5	18,0-20,0	20,0	6,5	8,0		PA zwart
413200.092006090.000	9,5	18,0-20,0	20,0	6,5	9,0		PA zwart
413200.092006100.000	9,5	18,0-20,0	20,0	6,5	10,0		PA zwart
413200.092006110.000	9,5	18,0-20,0	20,0	6,5	11,0		PA zwart
413200.092006120.000	9,5	18,0-20,0	20,0	6,5	12,0		PA zwart
413200.092006130.000	9,5	18,0-20,0	20,0	6,5	13,0		PA zwart
413200.092006140.000	9,5	18,0-20,0	20,0	6,5	14,0		PA zwart
413200.092006150.000	9,5	18,0-20,0	20,0	6,5	15,0		PA zwart
413200.092006160.000	9,5	18,0-20,0	20,0	6,5	16,0		PA zwart
413200.092006170.000	9,5	18,0-20,0	20,0	6,5	17,0		PA zwart
413200.092006180.000	9,5	18,0-20,0	20,0	6,5	18,0		PA zwart
413200.092006190.000	9,5	18,0-20,0	20,0	6,5	19,0		PA zwart
413200.092006200.000	9,5	18,0-20,0	20,0	6,5	20,0		PA zwart
413200.092006210.000	9,5	18,0-20,0	20,0	6,5	21,0		PA zwart
413200.092006220.000	9,5	18,0-20,0	20,0	6,5	22,0		PA zwart
413200.092006230.000	9,5	18,0-20,0	20,0	6,5	23,0		PA zwart
413200.092006240.000	9,5	18,0-20,0	20,0	6,5	24,0		PA zwart
413200.092006250.000	9,5	18,0-20,0	20,0	6,5	25,0		PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.092006260.000	9,5	18,0-20,0	20,0	6,5	26,0			PA zwart
413200.092006270.000	9,5	18,0-20,0	20,0	6,5	27,0			PA zwart
413200.092006280.000	9,5	18,0-20,0	20,0	6,5	28,0			PA zwart
413200.092006290.000	9,5	18,0-20,0	20,0	6,5	29,0			PA zwart
413200.092006300.000	9,5	18,0-20,0	20,0	6,5	29,0			PA zwart
413200.101905030.000	10,0	20,0-23,0	19,0	5,2	3,0			PE zwart
413200.101905110.000	10,0	20,0-23,0	19,0	5,2	11,5			PE zwart
413200.101906030.000	10,0	20,0-23,0	19,0	6,2	3,0			PE zwart
413200.101906030.001	10,0	20,0-23,0	19,0	6,2	3,0			PE wit
413200.101906110.000	10,0	20,0-23,0	19,0	6,2	11,5			PE zwart
413200.102006030.000	10,5	20,0-22,0	20,0	6,5	3,0			PA zwart
413200.102006040.000	10,5	20,0-22,0	20,0	6,5	4,0			PA zwart
413200.102006050.000	10,5	20,0-22,0	20,0	6,5	5,0			PA zwart
413200.102006060.000	10,5	20,0-22,0	20,0	6,5	6,0			PA zwart
413200.102006070.000	10,5	20,0-22,0	20,0	6,5	7,0			PA zwart
413200.102006080.000	10,5	20,0-22,0	20,0	6,5	8,0			PA zwart
413200.102006090.000	10,5	20,0-22,0	20,0	6,5	9,0			PA zwart
413200.102006100.000	10,5	20,0-22,0	20,0	6,5	10,0			PA zwart
413200.102006110.000	10,5	20,0-22,0	20,0	6,5	11,0			PA zwart
413200.102006120.000	10,5	20,0-22,0	20,0	6,5	12,0			PA zwart
413200.102006130.000	10,5	20,0-22,0	20,0	6,5	13,0			PA zwart
413200.102006140.000	10,5	20,0-22,0	20,0	6,5	14,0			PA zwart
413200.102006150.000	10,5	20,0-22,0	20,0	6,5	15,0			PA zwart
413200.102006160.000	10,5	20,0-22,0	20,0	6,5	16,0	14,0	13,0	PA zwart
413200.102006170.000	10,5	20,0-22,0	20,0	6,5	17,0	14,0	14,0	PA zwart
413200.102006180.000	10,5	20,0-22,0	20,0	6,5	18,0	14,0	15,0	PA zwart
413200.102006190.000	10,5	20,0-22,0	20,0	6,5	19,0	14,0	16,0	PA zwart
413200.102006200.000	10,5	20,0-22,0	20,0	6,5	20,0	14,0	17,0	PA zwart
413200.102006210.000	10,5	20,0-22,0	20,0	6,5	21,0	14,0	18,0	PA zwart
413200.102006220.000	10,5	20,0-22,0	20,0	6,5	22,0	14,0	19,0	PA zwart
413200.102006230.000	10,5	20,0-22,0	20,0	6,5	23,0	14,0	20,0	PA zwart
413200.102006240.000	10,5	20,0-22,0	20,0	6,5	24,0	14,0	21,0	PA zwart
413200.102006250.000	10,5	20,0-22,0	20,0	6,5	25,0	14,0	22,0	PA zwart
413200.102006260.000	10,5	20,0-22,0	20,0	6,5	26,0	14,0	23,0	PA zwart
413200.102006270.000	10,5	20,0-22,0	20,0	6,5	27,0	14,0	24,0	PA zwart
413200.102006280.000	10,5	20,0-22,0	20,0	6,5	28,0	14,0	25,0	PA zwart
413200.102006290.000	10,5	20,0-22,0	20,0	6,5	29,0	14,0	26,0	PA zwart
413200.102006300.000	10,5	20,0-22,0	20,0	6,5	30,0	14,0	27,0	PA zwart
413200.102507202.000	10,5	21,0	25,0	7,0	20,0			PVC zwart
413200.102507202.001	10,5	21,0	25,0	7,0	20,0			PVC wit
413200.112205030.004	11,0	21,0-23,0	22,0	5,2	3,0			PA naturel
413200.112206030.004	11,0	21,0-23,0	22,0	6,2	3,0			PA naturel
413200.112306111.000	11,0	16,0-23,0	23,0	6,8	11,5			PE zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.122006030.000	12,5	24,0-26,0	20,0	6,5	3,0			PA zwart
413200.122006040.000	12,5	24,0-26,0	20,0	6,5	4,0			PA zwart
413200.122006050.000	12,5	24,0-26,0	20,0	6,5	5,0			PA zwart
413200.122006060.000	12,5	24,0-26,0	20,0	6,5	6,0			PA zwart
413200.122006070.000	12,5	24,0-26,0	20,0	6,5	7,0			PA zwart
413200.122006080.000	12,5	24,0-26,0	20,0	6,5	8,0			PA zwart
413200.122006090.000	12,5	24,0-26,0	20,0	6,5	9,0			PA zwart
413200.122006100.000	12,5	24,0-26,0	20,0	6,5	10,0			PA zwart
413200.122006110.000	12,5	24,0-26,0	20,0	6,5	11,0			PA zwart
413200.122006120.000	12,5	24,0-26,0	20,0	6,5	12,0			PA zwart
413200.122006130.000	12,5	24,0-26,0	20,0	6,5	13,0			PA zwart
413200.122006140.000	12,5	24,0-26,0	20,0	6,5	14,0			PA zwart
413200.122006150.000	12,5	24,0-26,0	20,0	6,5	15,0			PA zwart
413200.122006160.000	12,5	24,0-26,0	20,0	6,5	16,0	14,0	13,0	PA zwart
413200.122006170.000	12,5	24,0-26,0	20,0	6,5	17,0	14,0	14,0	PA zwart
413200.122006180.000	12,5	24,0-26,0	20,0	6,5	18,0	14,0	15,0	PA zwart
413200.122006190.000	12,5	24,0-26,0	20,0	6,5	19,0	14,0	16,0	PA zwart
413200.122006200.000	12,5	24,0-26,0	20,0	6,5	20,0	14,0	17,0	PA zwart
413200.122006210.000	12,5	24,0-26,0	20,0	6,5	21,0	14,0	18,0	PA zwart
413200.122006220.000	12,5	24,0-26,0	20,0	6,5	22,0	14,0	19,0	PA zwart
413200.122006230.000	12,5	24,0-26,0	20,0	6,5	23,0	14,0	20,0	PA zwart
413200.122006240.000	12,5	24,0-26,0	20,0	6,5	24,0	14,0	21,0	PA zwart
413200.122006250.000	12,5	24,0-26,0	20,0	6,5	25,0	14,0	22,0	PA zwart
413200.122006260.000	12,5	24,0-26,0	20,0	6,5	26,0	14,0	23,0	PA zwart
413200.122006270.000	12,5	24,0-26,0	20,0	6,5	27,0	14,0	24,0	PA zwart
413200.122006280.000	12,5	24,0-26,0	20,0	6,5	28,0	14,0	25,0	PA zwart
413200.122006290.000	12,5	24,0-26,0	20,0	6,5	29,0	14,0	26,0	PA zwart
413200.122006300.000	12,5	24,0-26,0	20,0	6,5	30,0	14,0	27,0	PA zwart
413200.122206030.000	12,5	24,0-26,0	22,0	6,2	3,0			PE zwart
413200.122208030.000	12,5	24,0-26,0	22,0	8,2	3,0			PE zwart
413200.122506030.004	12,5	24,0-26,0	25,0	6,2	3,1			PA naturel
413200.122508030.000	12,5	24,0-26,0	25,0	8,5	3,1			PA zwart
413200.122508030.004	12,5	24,0-26,0	25,0	8,5	3,1			PA naturel
413200.122508040.000	12,5	24,0-26,0	25,0	8,5	4,0			PA zwart
413200.122508040.009	12,5	24,0-26,0	25,0	8,5	4,0			PA grijs
413200.122508040.742	12,5	24,0-26,0	25,0	8,5	4,0			PA grijs
413200.122508050.000	12,5	24,0-26,0	25,0	8,5	5,0			PA zwart
413200.122508060.000	12,5	24,0-26,0	25,0	8,5	6,0			PA zwart
413200.122508070.000	12,5	24,0-26,0	25,0	8,5	7,0			PA zwart
413200.122508080.000	10,5	20,0-22,0	25,0	8,5	8,0			PA zwart
413200.122508090.000	10,5	20,0-22,0	25,0	8,5	9,0			PA zwart
413200.122508100.000	12,5	24,0-26,0	25,0	8,5	10,0			PA zwart
413200.122508110.000	12,5	24,0-26,0	25,0	8,5	11,0			PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.122508120.000	12,5	24,0-26,0	25,0	8,5	12,0			PA zwart
413200.122508130.000	12,5	24,0-26,0	25,0	8,5	13,0			PA zwart
413200.122508140.000	12,5	24,0-26,0	25,0	8,5	14,0			PA zwart
413200.122508150.000	12,5	24,0-26,0	25,0	8,5	15,0			PA zwart
413200.122508160.000	12,5	24,0-26,0	25,0	8,5	16,0	18,0	13,0	PA zwart
413200.122508170.000	12,5	24,0-26,0	25,0	8,5	17,0	18,0	14,0	PA zwart
413200.122508180.000	12,5	24,0-26,0	25,0	8,5	18,0	18,0	15,0	PA zwart
413200.122508190.000	12,5	24,0-26,0	25,0	8,5	19,0	18,0	16,0	PA zwart
413200.122508200.000	12,5	24,0-26,0	25,0	8,5	20,0	18,0	17,0	PA zwart
413200.122508210.000	12,5	24,0-26,0	25,0	8,5	21,0	18,0	18,0	PA zwart
413200.122508220.000	12,5	24,0-26,0	25,0	8,5	22,0	18,0	19,0	PA zwart
413200.122508230.000	12,5	24,0-26,0	25,0	8,5	23,0	18,0	20,0	PA zwart
413200.122508240.000	12,5	24,0-26,0	25,0	8,5	24,0	18,0	21,0	PA zwart
413200.122508250.000	12,5	24,0-26,0	25,0	8,5	25,0	18,0	22,0	PA zwart
413200.122508260.000	12,5	24,0-26,0	25,0	8,5	26,0	18,0	23,0	PA zwart
413200.122508270.000	12,5	24,0-26,0	25,0	8,5	27,0	18,0	24,0	PA zwart
413200.122508280.000	12,5	24,0-26,0	25,0	8,5	28,0	18,0	25,0	PA zwart
413200.122508290.000	12,5	24,0-26,0	25,0	8,5	29,0	18,0	26,0	PA zwart
413200.122508300.000	12,5	24,0-26,0	25,0	8,5	30,0	18,0	27,0	PA zwart
413200.132208030.000	13,0	25,0-28,0	22,0	8,2	3,0			PE zwart
413200.132208050.000	13,0	25,0-28,0	22,0	8,2	5,0			PE zwart
413200.132208070.000	13,0	25,0-28,0	22,0	8,2	7,5			PE zwart
413200.132208100.000	13,0	25,0-28,0	22,0	8,2	10,0			PE zwart
413200.132208120.000	13,0	25,0-28,0	22,0	8,2	12,5			PE zwart
413200.132208150.000	13,0	25,0-28,0	22,0	8,2	15,0			PE zwart
413200.132208170.000	13,0	25,0-28,0	22,0	8,2	17,5			PE zwart
413200.132208200.000	13,0	25,0-28,0	22,0	8,2	20,0			PE zwart
413200.132208220.000	13,0	25,0-28,0	22,0	8,2	22,5			PE zwart
413200.132208250.000	13,0	25,0-28,0	22,0	8,2	25,0			PE zwart
413200.132208270.000	13,0	25,0-28,0	22,0	8,2	27,5			PE zwart
413200.132208300.000	13,0	25,0-28,0	22,0	8,2	30,0			PE zwart
413200.142508030.000	14,5	29,0-32,0	25,0	8,2	3,0			PE zwart
413200.142508032.000	14,5	28,0-30,0	25,0	8,5	3,0			PA zwart
413200.142508041.000	14,0	25,0-32,0	25,0	8,2	4,0			PE zwart
413200.142508042.000	14,5	28,0-30,0	25,0	8,5	4,0			PA zwart
413200.142508050.000	14,5	29,0-32,0	25,0	8,2	5,0			PE zwart
413200.142508051.000	14,0	25,0-32,0	25,0	8,2	5,0			PE zwart
413200.142508052.000	14,5	28,0-30,0	25,0	8,5	5,0			PA zwart
413200.142508061.000	14,0	25,0-32,0	25,0	8,2	6,0			PE zwart
413200.142508062.000	14,5	28,0-30,0	25,0	8,5	6,0			PA zwart
413200.142508070.000	14,5	29,0-32,0	25,0	8,2	7,5			PE zwart
413200.142508071.000	14,0	25,0-32,0	25,0	8,2	7,0			PE zwart
413200.142508072.000	14,5	28,0-30,0	25,0	8,5	7,0			PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h
413200.142508081.000	14,0	25,0-32,0	25,0	8,2	8,0		PE zwart
413200.142508082.000	14,5	28,0-30,0	25,0	8,5	8,0		PA zwart
413200.142508091.000	14,0	25,0-32,0	25,0	8,2	9,0		PE zwart
413200.142508092.000	14,5	28,0-30,0	25,0	8,5	9,0		PA zwart
413200.142508100.000	14,5	29,0-32,0	25,0	8,2	10,0		PE zwart
413200.142508101.000	14,0	25,0-32,0	25,0	8,2	10,0		PE zwart
413200.142508102.000	14,5	28,0-30,0	25,0	8,5	10,2		PA zwart
413200.142508111.000	14,0	25,0-32,0	25,0	8,2	11,0		PE zwart
413200.142508112.000	14,5	28,0-30,0	25,0	8,5	11,0		PA zwart
413200.142508120.000	14,5	29,0-32,0	25,0	8,2	12,5		PE zwart
413200.142508121.000	14,0	25,0-32,0	25,0	8,2	12,0		PE zwart
413200.142508122.000	14,5	28,0-30,0	25,0	8,5	12,0		PA zwart
413200.142508131.000	14,0	25,0-32,0	25,0	8,2	13,0		PE zwart
413200.142508132.000	14,5	28,0-30,0	25,0	8,5	13,0		PA zwart
413200.142508141.000	14,0	25,0-32,0	25,0	8,2	14,0		PE zwart
413200.142508142.000	14,5	28,0-30,0	25,0	8,5	14,0		PA zwart
413200.142508150.000	14,5	29,0-32,0	25,0	8,2	15,0		PE zwart
413200.142508151.000	14,0	25,0-32,0	25,0	8,2	15,0		PE zwart
413200.142508152.000	14,5	28,0-30,0	25,0	8,5	15,0		PA zwart
413200.142508161.000	14,0	25,0-32,0	25,0	8,2	16,0		PE zwart
413200.142508162.000	14,5	28,0-30,0	25,0	8,5	16,0		PA zwart
413200.142508170.000	14,5	29,0-32,0	25,0	8,2	17,5		PE zwart
413200.142508171.000	14,0	25,0-32,0	25,0	8,2	17,0		PE zwart
413200.142508172.000	14,5	28,0-30,0	25,0	8,5	17,0		PA zwart
413200.142508181.000	14,0	25,0-32,0	25,0	8,2	18,0		PE zwart
413200.142508182.000	14,5	28,0-30,0	25,0	8,5	18,0		PA zwart
413200.142508191.000	14,0	25,0-32,0	25,0	8,2	19,0		PE zwart
413200.142508192.000	14,5	28,0-30,0	25,0	8,5	19,0		PA zwart
413200.142508200.000	14,5	29,0-32,0	25,0	8,2	20,0		PE zwart
413200.142508201.000	14,0	25,0-32,0	25,0	8,2	20,0		PE zwart
413200.142508202.000	14,5	28,0-30,0	25,0	8,5	20,0		PA zwart
413200.142508211.000	14,0	25,0-32,0	25,0	8,2	21,0		PE zwart
413200.142508212.000	14,5	28,0-30,0	25,0	8,5	21,0		PA zwart
413200.142508220.000	14,5	29,0-32,0	25,0	8,2	22,5		PE zwart
413200.142508221.000	14,0	25,0-32,0	25,0	8,2	22,0		PE zwart
413200.142508222.000	14,5	28,0-30,0	25,0	8,5	22,0		PA zwart
413200.142508231.000	14,0	25,0-32,0	25,0	8,2	23,0		PE zwart
413200.142508232.000	14,5	28,0-30,0	25,0	8,5	23,0		PA zwart
413200.142508241.000	14,0	25,0-32,0	25,0	8,2	24,0		PE zwart
413200.142508242.000	14,5	28,0-30,0	25,0	8,5	24,0		PA zwart
413200.142508250.000	14,5	29,0-32,0	25,0	8,2	25,0		PE zwart
413200.142508251.000	14,0	25,0-32,0	25,0	8,2	25,0		PE zwart
413200.142508252.000	14,5	28,0-30,0	25,0	8,5	25,0		PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.142508261.000	14,0	25,0-32,0	25,0	8,2	26,0			PE zwart
413200.142508262.000	14,5	28,0-30,0	25,0	8,5	26,0			PA zwart
413200.142508270.000	14,5	29,0-32,0	25,0	8,2	27,5			PE zwart
413200.142508271.000	14,0	25,0-32,0	25,0	8,2	27,0			PE zwart
413200.142508272.000	14,5	28,0-30,0	25,0	8,5	27,0			PA zwart
413200.142508281.000	14,0	25,0-32,0	25,0	8,2	28,0			PE zwart
413200.142508282.000	14,5	28,0-30,0	25,0	8,5	28,0			PA zwart
413200.142508291.000	14,0	25,0-32,0	25,0	8,2	29,0			PE zwart
413200.142508292.000	14,5	28,0-30,0	25,0	8,5	29,0			PA zwart
413200.142508300.000	14,5	29,0-32,0	25,0	8,2	30,0			PE zwart
413200.142508301.000	14,0	25,0-32,0	25,0	8,2	30,0			PE zwart
413200.142508302.000	14,5	28,0-30,0	25,0	8,5	30,0			PA zwart
413200.142806030.004	14,5	27,0-29,0	28,0	6,2	3,3			PA naturel
413200.142808030.004	14,5	27,0-29,0	28,0	8,3	3,3			PA naturel
413200.152508030.000	15,5	30,0-32,0	25,0	8,5	3,0			PA zwart
413200.152508040.000	15,5	31,0-32,0	25,0	8,5	4,0			PA zwart
413200.152508050.000	15,5	31,0-32,0	25,0	8,5	5,0			PA zwart
413200.152508060.000	15,5	31,0-32,0	25,0	8,5	6,0			PA zwart
413200.152508070.000	15,5	31,0-32,0	25,0	8,5	7,0			PA zwart
413200.152508080.000	15,5	31,0-32,0	25,0	8,5	8,0			PA zwart
413200.152508090.000	15,5	31,0-32,0	25,0	8,5	9,0			PA zwart
413200.152508100.000	15,5	31,0-32,0	25,0	8,5	10,0			PA zwart
413200.152508110.000	15,5	31,0-32,0	25,0	8,5	11,0			PA zwart
413200.152508120.000	15,5	31,0-32,0	25,0	8,5	12,0			PA zwart
413200.152508130.000	15,5	31,0-32,0	25,0	8,5	13,0			PA zwart
413200.152508140.000	15,5	31,0-32,0	25,0	8,5	14,0			PA zwart
413200.152508150.000	15,5	31,0-32,0	25,0	8,5	15,0			PA zwart
413200.152508160.000	15,5	31,0-32,0	25,0	8,5	16,0	18,0	13,0	PA zwart
413200.152508170.000	15,5	31,0-32,0	25,0	8,5	17,0	18,0	14,0	PA zwart
413200.152508180.000	15,5	31,0-32,0	25,0	8,5	18,0	18,0	15,0	PA zwart
413200.152508190.000	15,5	31,0-32,0	25,0	8,5	19,0	18,0	16,0	PA zwart
413200.152508200.000	15,5	31,0-32,0	25,0	8,5	20,0	18,0	17,0	PA zwart
413200.152508210.000	15,5	31,0-32,0	25,0	8,5	21,0	18,0	18,0	PA zwart
413200.152508220.000	15,5	31,0-32,0	25,0	8,5	22,0	18,0	19,0	PA zwart
413200.152508230.000	15,5	31,0-32,0	25,0	8,5	23,0	18,0	20,0	PA zwart
413200.152508240.000	15,5	31,0-32,0	25,0	8,5	24,0	18,0	21,0	PA zwart
413200.152508250.000	15,5	31,0-32,0	25,0	8,5	25,0	18,0	22,0	PA zwart
413200.152508260.000	15,5	31,0-32,0	25,0	8,5	26,0	18,0	23,0	PA zwart
413200.152508270.000	15,5	31,0-32,0	25,0	8,5	27,0	18,0	24,0	PA zwart
413200.152508280.000	15,5	31,0-32,0	25,0	8,5	28,0	18,0	25,0	PA zwart
413200.152508290.000	15,5	31,0-32,0	25,0	8,5	29,0	18,0	26,0	PA zwart
413200.152508300.000	15,0	31,0-32,0	25,0	8,5	30,0	18,0	27,0	PA zwart
413200.152806030.000	15,5	30,0-34,0	28,0	6,2	3,5			PE zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.152808030.000	15,5	30,0-34,0	28,0	8,2	3,5			PE zwart
413200.152810030.000	15,5	30,0-34,0	28,0	10,2	3,5			PE zwart
413200.153010050.000	15,5	31,0-32,0	30,0	10,5	5,0			PA zwart
413200.153010060.000	15,5	31,0-32,0	30,0	10,5	6,0			PA zwart
413200.153010070.000	15,5	31,0-32,0	30,0	10,5	7,0			PA zwart
413200.153010080.000	15,5	30,0-32,0	30,0	12,2	8,0			PA zwart
413200.153010090.000	15,5	31,0-32,0	30,0	10,5	9,0			PA zwart
413200.153010100.000	15,5	31,0-32,0	30,0	10,5	10,0			PA zwart
413200.153010110.000	15,5	31,0-32,0	30,0	10,5	11,0			PA zwart
413200.153010120.000	15,5	31,0-32,0	30,0	10,5	12,0			PA zwart
413200.153010130.000	15,5	31,0-32,0	30,0	10,5	13,0			PA zwart
413200.153010140.000	15,5	31,0-32,0	30,0	10,5	14,0			PA zwart
413200.153010150.000	15,5	31,0-32,0	30,0	10,5	15,0			PA zwart
413200.153010160.000	15,5	31,0-32,0	30,0	10,5	16,0	24,0	13,0	PA zwart
413200.153010170.000	15,5	31,0-32,0	30,0	10,5	17,0	24,0	14,0	PA zwart
413200.153010180.000	15,5	31,0-32,0	30,0	8,5	18,0	24,0	15,0	PA zwart
413200.153010190.000	15,5	31,0-32,0	30,0	10,5	19,0	24,0	16,0	PA zwart
413200.153010200.000	15,5	31,0-32,0	30,0	10,5	20,0	24,0	17,0	PA zwart
413200.153010210.000	15,5	31,0-32,0	30,0	10,5	21,0	24,0	18,0	PA zwart
413200.153010220.000	15,5	31,0-32,0	30,0	10,5	22,0	24,0	19,0	PA zwart
413200.153010230.000	15,5	31,0-32,0	30,0	10,5	23,0	24,0	20,0	PA zwart
413200.153012030.000	15,5	30,0-32,0	30,0	12,2	3,0			PA zwart
413200.153012040.000	15,5	30,0-32,0	30,0	12,2	4,0			PA zwart
413200.153012240.000	15,5	30,0-32,0	30,0	12,2	24,0			PA zwart
413200.153012250.000	15,5	30,0-32,0	30,0	12,2	25,0			PA zwart
413200.153012260.000	15,5	30,0-32,0	30,0	12,2	26,0			PA zwart
413200.153012270.000	15,5	30,0-32,0	30,0	12,2	27,0			PA zwart
413200.153012280.000	15,5	30,0-32,0	30,0	12,2	28,0			PA zwart
413200.153012290.000	15,5	30,0-32,0	30,0	12,2	29,0			PA zwart
413200.153012300.000	15,5	30,0-32,0	30,0	12,2	30,0			PA zwart
413200.163208030.004	16,0	30,0-34,0	32,0	8,3	3,4			PA naturel
413200.163210030.004	16,0	30,0-34,0	32,0	10,3	3,4			PA naturel
413200.172508030.000	17,5	34,0-36,0	25,0	8,5	3,0			PA zwart
413200.172508040.000	17,5	34,0-36,0	25,0	8,5	4,0			PA zwart
413200.172508050.000	17,5	34,0-36,0	25,0	8,5	5,0			PA zwart
413200.172508060.000	17,5	34,0-36,0	25,0	8,5	6,0			PA zwart
413200.172508070.000	17,5	34,0-36,0	25,0	8,5	7,0			PA zwart
413200.172508080.000	17,5	34,0-36,0	25,0	8,5	8,0			PA zwart
413200.172508090.000	17,5	34,0-36,0	25,0	8,5	9,0			PA zwart
413200.172508100.000	17,5	34,0-36,0	25,0	8,5	10,0			PA zwart
413200.172508110.000	17,5	34,0-36,0	25,0	8,5	11,0			PA zwart
413200.172508120.000	17,5	34,0-36,0	25,0	8,5	12,0			PA zwart
413200.172508130.000	17,5	34,0-36,0	25,0	8,5	13,0			PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.172508140.000	17,5	34,0-36,0	25,0	8,5	14,0			PA zwart
413200.172508150.000	17,5	34,0-36,0	25,0	8,5	15,0			PA zwart
413200.172508160.000	17,5	34,0-36,0	25,0	8,5	16,0	24,0	13,0	PA zwart
413200.172508170.000	17,5	34,0-36,0	25,0	8,5	17,0	24,0	14,0	PA zwart
413200.172508180.000	17,5	34,0-36,0	25,0	8,5	18,0	24,0	15,0	PA zwart
413200.172508190.000	17,5	34,0-36,0	25,0	8,5	19,0	24,0	16,0	PA zwart
413200.172508200.000	17,5	34,0-36,0	25,0	8,5	20,0	24,0	17,0	PA zwart
413200.172508210.000	17,5	34,0-36,0	25,0	8,5	21,0	24,0	18,0	PA zwart
413200.172508220.000	17,5	34,0-36,0	25,0	8,5	22,0	24,0	19,0	PA zwart
413200.172508230.000	17,5	34,0-36,0	25,0	8,5	23,0	24,0	20,0	PA zwart
413200.172508240.000	17,5	34,0-36,0	25,0	8,5	24,0	24,0	21,0	PA zwart
413200.172508250.000	17,5	34,0-36,0	25,0	8,5	25,0	24,0	22,0	PA zwart
413200.172508260.000	17,5	34,0-36,0	25,0	8,5	26,0	24,0	23,0	PA zwart
413200.172508270.000	17,5	34,0-36,0	25,0	8,5	27,0	24,0	24,0	PA zwart
413200.172508280.000	17,5	34,0-36,0	25,0	8,5	28,0	24,0	25,0	PA zwart
413200.172508290.000	17,5	34,0-36,0	25,0	8,5	29,0	24,0	26,0	PA zwart
413200.172508300.000	17,5	34,0-36,0	25,0	8,5	30,0	24,0	27,0	PA zwart
413200.173010030.000	17,5	34,0-36,0	30,0	10,5	3,0			PA zwart
413200.173010040.000	17,5	34,0-36,0	30,0	10,5	4,0			PA zwart
413200.173010050.000	17,5	34,0-36,0	30,0	10,5	5,0			PA zwart
413200.173010060.000	17,5	34,0-36,0	30,0	10,5	6,0			PA zwart
413200.173010070.000	17,5	34,0-36,0	30,0	10,5	7,0			PA zwart
413200.173010080.000	17,5	34,0-36,0	30,0	10,5	8,0			PA zwart
413200.173010090.000	17,5	34,0-36,0	30,0	10,5	9,0			PA zwart
413200.173010100.000	17,5	34,0-36,0	30,0	10,5	10,0			PA zwart
413200.173010110.000	17,5	34,0-36,0	30,0	10,5	11,0			PA zwart
413200.173010120.000	17,5	34,0-36,0	30,0	10,5	12,0			PA zwart
413200.173010130.000	17,5	34,0-36,0	30,0	10,5	13,0			PA zwart
413200.173010140.000	17,5	34,0-36,0	30,0	10,5	14,0			PA zwart
413200.173010150.000	17,5	34,0-36,0	30,0	10,5	15,0			PA zwart
413200.173010160.000	17,5	34,0-36,0	30,0	10,5	16,0	24,0	13,0	PA zwart
413200.173010170.000	17,5	34,0-36,0	30,0	10,5	17,0	24,0	14,0	PA zwart
413200.173010180.000	17,5	34,0-36,0	30,0	10,5	18,0	24,0	15,0	PA zwart
413200.173010190.000	17,5	34,0-36,0	30,0	10,5	19,0	24,0	16,0	PA zwart
413200.173010200.000	17,5	34,0-36,0	30,0	10,5	20,0	24,0	17,0	PA zwart
413200.173010210.000	17,5	34,0-36,0	30,0	10,5	21,0	24,0	18,0	PA zwart
413200.173010220.000	17,5	34,0-36,0	30,0	10,5	22,0	24,0	19,0	PA zwart
413200.173010230.000	17,5	34,0-36,0	30,0	10,5	23,0	24,0	20,0	PA zwart
413200.173010240.000	17,5	34,0-36,0	30,0	10,5	24,0	24,0	21,0	PA zwart
413200.173010250.000	17,5	34,0-36,0	30,0	10,5	25,0	24,0	22,0	PA zwart
413200.173010260.000	17,5	34,0-36,0	30,0	10,5	26,0	24,0	23,0	PA zwart
413200.173010270.000	17,5	34,0-36,0	30,0	10,5	27,0	24,0	24,0	PA zwart
413200.173010280.000	17,5	34,0-36,0	30,0	10,5	28,0	24,0	25,0	PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.173010290.000	17,5	34,0-36,0	30,0	10,5	29,0	24,0	26,0	PA zwart
413200.173010300.000	17,5	34,0-36,0	30,0	10,5	30,0	24,0	27,0	PA zwart
413200.193010030.000	19,0	37,0-39,0	30,0	10,5	3,0			PA zwart
413200.193010040.000	19,0	37,0-39,0	30,0	10,5	4,0			PA zwart
413200.193010050.000	19,0	37,0-39,0	30,0	10,5	5,0			PA zwart
413200.193010060.000	19,0	37,0-39,0	30,0	10,5	6,0			PA zwart
413200.193010070.000	19,0	37,0-39,0	30,0	10,5	7,0			PA zwart
413200.193010080.000	19,0	37,0-39,0	30,0	10,5	8,0			PA zwart
413200.193010090.000	19,0	37,0-39,0	30,0	10,5	9,0			PA zwart
413200.193010100.000	19,0	37,0-39,0	30,0	10,5	10,0			PA zwart
413200.193010110.000	19,0	37,0-39,0	30,0	10,5	11,0			PA zwart
413200.193010120.000	19,0	37,0-39,0	30,0	10,5	12,0			PA zwart
413200.193010130.000	19,0	37,0-39,0	30,0	10,5	13,0			PA zwart
413200.193010140.000	19,0	37,0-39,0	30,0	10,5	14,0			PA zwart
413200.193010150.000	19,0	37,0-39,0	30,0	10,5	15,0			PA zwart
413200.193010160.000	19,0	37,0-39,0	30,0	10,5	16,0	24,0	13,0	PA zwart
413200.193010170.000	19,0	37,0-39,0	30,0	10,5	17,0	24,0	14,0	PA zwart
413200.193010180.000	19,0	37,0-39,0	30,0	10,5	18,0	24,0	15,0	PA zwart
413200.193010190.000	19,0	37,0-39,0	30,0	10,5	19,0	24,0	16,0	PA zwart
413200.193010200.000	19,0	37,0-39,0	30,0	10,5	20,0	24,0	17,0	PA zwart
413200.193010210.000	19,0	37,0-39,0	30,0	10,5	21,0	24,0	18,0	PA zwart
413200.193010220.000	19,0	37,0-39,0	30,0	10,5	22,0	24,0	19,0	PA zwart
413200.193010230.000	19,0	37,0-39,0	30,0	10,5	23,0	24,0	20,0	PA zwart
413200.193010240.000	19,0	37,0-39,0	30,0	10,5	24,0	24,0	21,0	PA zwart
413200.193010250.000	19,0	37,0-39,0	30,0	10,5	25,0	24,0	22,0	PA zwart
413200.193010260.000	19,0	37,0-39,0	30,0	10,5	26,0	24,0	23,0	PA zwart
413200.193010270.000	19,0	37,0-39,0	30,0	10,5	27,0	24,0	24,0	PA zwart
413200.193010280.000	19,0	37,0-39,0	30,0	10,5	28,0	24,0	25,0	PA zwart
413200.193010290.000	19,0	37,0-39,0	30,0	10,5	29,0	24,0	26,0	PA zwart
413200.193010300.000	19,0	39,0-41,0	30,0	10,5	30,0	24,0	27,0	PA zwart
413200.193506050.000	19,0	38,0-42,0	35,0	6,2	5,0			PE zwart
413200.193508050.000	19,0	38,0-42,0	35,0	8,2	5,0			PE zwart
413200.193510050.000	19,0	38,0-42,0	35,0	10,2	5,0			PE zwart
413200.203010030.000	20,0	39,0-41,0	30,0	10,5	3,0			PA zwart
413200.203010040.000	20,0	39,0-41,0	30,0	10,5	4,0			PA zwart
413200.203010050.000	20,0	39,0-41,0	30,0	10,5	5,0			PA zwart
413200.203010060.000	20,0	39,0-41,0	30,0	10,5	6,0			PA zwart
413200.203010070.000	20,0	39,0-41,0	30,0	10,5	7,0			PA zwart
413200.203010080.000	20,0	39,0-41,0	30,0	10,5	8,0			PA zwart
413200.203010090.000	20,0	39,0-41,0	30,0	10,5	9,0			PA zwart
413200.203010110.000	20,0	39,0-41,0	30,0	10,5	11,0			PA zwart
413200.203010120.000	20,0	39,0-41,0	30,0	10,5	12,0			PA zwart
413200.203010130.000	20,0	39,0-41,0	30,0	10,5	13,0			PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.203010140.000	20,0	39,0-41,0	30,0	10,5	14,0			PA zwart
413200.203010150.000	20,0	39,0-41,0	30,0	10,5	15,0			PA zwart
413200.203010160.000	20,0	39,0-41,0	30,0	10,5	16,0	24,0	13,0	PA zwart
413200.203010170.000	20,0	39,0-41,0	30,0	10,5	17,0	24,0	14,0	PA zwart
413200.203010180.000	20,0	39,0-41,0	30,0	10,5	18,0	24,0	15,0	PA zwart
413200.203010190.000	20,0	39,0-41,0	30,0	10,5	19,0	24,0	16,0	PA zwart
413200.203010200.000	20,0	39,0-41,0	30,0	10,5	20,0	24,0	17,0	PA zwart
413200.203010210.000	20,0	39,0-41,0	30,0	10,5	21,0	24,0	18,0	PA zwart
413200.203010220.000	20,0	39,0-41,0	30,0	10,5	22,0	24,0	19,0	PA zwart
413200.203010230.000	20,0	39,0-41,0	30,0	10,5	23,0	24,0	20,0	PA zwart
413200.203010240.000	20,0	39,0-41,0	30,0	10,5	24,0	24,0	21,0	PA zwart
413200.203010250.000	20,0	39,0-41,0	30,0	10,5	25,0	24,0	22,0	PA zwart
413200.203010260.000	20,0	39,0-41,0	30,0	10,5	26,0	24,0	23,0	PA zwart
413200.203010270.000	20,0	39,0-41,0	30,0	10,5	27,0	24,0	24,0	PA zwart
413200.203010280.000	20,0	39,0-41,0	30,0	10,5	28,0	24,0	25,0	PA zwart
413200.203010290.000	20,0	39,0-41,0	30,0	10,5	29,0	24,0	26,0	PA zwart
413200.203010300.000	20,0	39,0-41,0	30,0	10,5	30,0	24,0	27,0	PA zwart
413200.203012030.000	20,0	39,0-41,0	30,0	12,5	3,0			PA zwart
413200.203012040.000	20,0	39,0-41,0	30,0	12,5	4,0			PA zwart
413200.203012050.000	20,0	39,0-41,0	30,0	12,5	5,0			PA zwart
413200.203012060.000	20,0	39,0-41,0	30,0	12,5	6,0			PA zwart
413200.203012070.000	20,0	39,0-41,0	30,0	12,5	7,0			PA zwart
413200.203012080.000	20,0	39,0-41,0	30,0	12,5	8,0			PA zwart
413200.203012090.000	20,0	39,0-41,0	30,0	12,5	9,0			PA zwart
413200.203012100.000	20,0	39,0-41,0	30,0	12,5	20,0			PA zwart
413200.203012110.000	20,0	39,0-41,0	30,0	12,5	11,0			PA zwart
413200.203012120.000	20,0	39,0-41,0	30,0	12,5	12,0			PA zwart
413200.203012130.000	20,0	39,0-41,0	30,0	12,5	13,0			PA zwart
413200.203012140.000	20,0	39,0-41,0	30,0	12,5	14,0			PA zwart
413200.203012150.000	20,0	39,0-41,0	30,0	12,5	15,0			PA zwart
413200.203012160.000	20,0	39,0-41,0	30,0	12,5	16,0	24,0	13,0	PA zwart
413200.203012170.000	20,0	39,0-41,0	30,0	12,5	17,0	24,0	14,0	PA zwart
413200.203012180.000	20,0	39,0-41,0	30,0	12,5	18,0	24,0	15,0	PA zwart
413200.203012190.000	20,0	39,0-41,0	30,0	12,5	19,0	24,0	16,0	PA zwart
413200.203012200.000	20,0	39,0-41,0	30,0	12,5	20,0	24,0	17,0	PA zwart
413200.203012210.000	20,0	39,0-41,0	30,0	12,5	21,0	24,0	18,0	PA zwart
413200.203012220.000	20,0	39,0-41,0	30,0	12,5	22,0	24,0	19,0	PA zwart
413200.203012230.000	20,0	39,0-41,0	30,0	12,5	23,0	24,0	20,0	PA zwart
413200.203012240.000	20,0	39,0-41,0	30,0	12,5	24,0	24,0	21,0	PA zwart
413200.203012250.000	20,0	39,0-41,0	30,0	12,5	25,0	24,0	22,0	PA zwart
413200.203012260.000	20,0	39,0-41,0	30,0	12,5	26,0	24,0	23,0	PA zwart
413200.203012270.000	20,0	39,0-41,0	30,0	12,5	27,0	24,0	24,0	PA zwart
413200.203012280.000	20,0	39,0-41,0	30,0	12,5	28,0	24,0	25,0	PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.203012290.000	20,0	39,0-41,0	30,0	12,5	29,0	24,0	26,0	PA zwart
413200.203012300.000	20,0	39,0-41,0	30,0	12,5	30,0	24,0	27,0	PA zwart
413200.213010030.000	21,0	41,0-43,0	30,0	10,5	3,0			PA zwart
413200.213010040.000	21,0	41,0-43,0	30,0	10,5	4,0			PA zwart
413200.213010050.000	21,0	41,0-43,0	30,0	10,5	5,0			PA zwart
413200.213010060.000	21,0	41,0-43,0	30,0	10,5	6,0			PA zwart
413200.213010070.000	21,0	41,0-43,0	30,0	10,5	7,0			PA zwart
413200.213010080.000	21,0	41,0-43,0	30,0	10,5	8,0			PA zwart
413200.213010090.000	21,0	41,0-43,0	30,0	10,5	9,0			PA zwart
413200.213010100.000	21,0	41,0-43,0	30,0	10,5	10,0			PA zwart
413200.213010110.000	21,0	41,0-43,0	30,0	10,5	11,0			PA zwart
413200.213010120.000	21,0	41,0-43,0	30,0	10,5	12,0			PA zwart
413200.213010130.000	21,0	41,0-43,0	30,0	10,5	13,0			PA zwart
413200.213010140.000	21,0	41,0-43,0	30,0	10,5	14,0			PA zwart
413200.213010150.000	21,0	41,0-43,0	30,0	10,5	15,0			PA zwart
413200.213010160.000	21,0	41,0-43,0	30,0	10,5	16,0	24,0	13,0	PA zwart
413200.213010170.000	21,0	41,0-43,0	30,0	10,5	17,0	24,0	14,0	PA zwart
413200.213010180.000	21,0	41,0-43,0	30,0	10,5	18,0	24,0	15,0	PA zwart
413200.213010190.000	21,0	41,0-43,0	30,0	10,5	19,0	24,0	16,0	PA zwart
413200.213010200.000	21,0	41,0-43,0	30,0	10,5	20,0	24,0	17,0	PA zwart
413200.213010210.000	21,0	41,0-43,0	30,0	10,5	21,0	24,0	18,0	PA zwart
413200.213010220.000	21,0	41,0-43,0	30,0	10,5	22,0	24,0	19,0	PA zwart
413200.213010230.000	21,0	41,0-43,0	30,0	10,5	23,0	24,0	20,0	PA zwart
413200.213010240.000	21,0	41,0-43,0	30,0	10,5	24,0	24,0	21,0	PA zwart
413200.213010250.000	21,0	41,0-43,0	30,0	10,5	25,0	24,0	22,0	PA zwart
413200.213010260.000	21,0	41,0-43,0	30,0	10,5	26,0	24,0	23,0	PA zwart
413200.213010270.000	21,0	41,0-43,0	30,0	10,5	27,0	24,0	24,0	PA zwart
413200.213010280.000	21,0	41,0-43,0	30,0	10,5	28,0	24,0	25,0	PA zwart
413200.213010290.000	21,0	41,0-43,0	30,0	10,5	29,0	24,0	26,0	PA zwart
413200.213010300.000	21,0	41,0-43,0	30,0	10,5	30,0	24,0	27,0	PA zwart
413200.213012030.000	21,0	41,0-43,0	30,0	12,5	3,0			PA zwart
413200.213012040.000	21,0	41,0-43,0	30,0	12,5	4,0			PA zwart
413200.213012050.000	21,0	41,0-43,0	30,0	12,5	5,0			PA zwart
413200.213012060.000	21,0	41,0-43,0	30,0	12,5	6,0			PA zwart
413200.213012070.000	21,0	41,0-43,0	30,0	12,5	7,0			PA zwart
413200.213012080.000	21,0	41,0-43,0	30,0	12,5	8,0			PA zwart
413200.213012090.000	21,0	41,0-43,0	30,0	12,5	9,0			PA zwart
413200.213012100.000	21,0	41,0-43,0	30,0	12,5	10,0			PA zwart
413200.213012110.000	21,0	41,0-43,0	30,0	12,5	11,0			PA zwart
413200.213012120.000	21,0	41,0-43,0	30,0	12,5	12,0			PA zwart
413200.213012130.000	21,0	41,0-43,0	30,0	12,5	13,0			PA zwart
413200.213012140.000	21,0	41,0-43,0	30,0	12,5	14,0			PA zwart
413200.213012150.000	21,0	41,0-43,0	30,0	12,5	15,0			PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h	
413200.213012160.000	21,0	41,0-43,0	30,0	12,5	16,0	24,0	13,0	PA zwart
413200.213012170.000	21,0	41,0-43,0	30,0	12,5	17,0	24,0	14,0	PA zwart
413200.213012180.000	21,0	41,0-43,0	30,0	12,5	18,0	24,0	15,0	PA zwart
413200.213012190.000	21,0	41,0-43,0	30,0	12,5	19,0	24,0	16,0	PA zwart
413200.213012200.000	21,0	41,0-43,0	30,0	12,5	20,0	24,0	17,0	PA zwart
413200.213012210.000	21,0	41,0-43,0	30,0	12,5	21,0	24,0	18,0	PA zwart
413200.213012220.000	21,0	41,0-43,0	30,0	12,5	22,0	24,0	19,0	PA zwart
413200.213012230.000	21,0	41,0-43,0	30,0	12,5	23,0	24,0	20,0	PA zwart
413200.213012240.000	21,0	41,0-43,0	30,0	12,5	24,0	24,0	21,0	PA zwart
413200.213012250.000	21,0	41,0-43,0	30,0	12,5	25,0	24,0	22,0	PA zwart
413200.213012260.000	21,0	41,0-43,0	30,0	12,5	26,0	24,0	23,0	PA zwart
413200.213012270.000	21,0	41,0-43,0	30,0	12,5	27,0	24,0	24,0	PA zwart
413200.213012280.000	21,0	41,0-43,0	30,0	12,5	28,0	24,0	25,0	PA zwart
413200.213012290.000	21,0	41,0-43,0	30,0	12,5	29,0	24,0	26,0	PA zwart
413200.213012300.000	21,0	41,0-43,0	30,0	12,5	30,0	24,0	27,0	PA zwart
413200.223012030.000	22,5	44,0-46,0	30,0	12,5	3,0	10,5		PA zwart
413200.223012040.000	22,5	44,0-46,0	30,0	12,5	4,0			PA zwart
413200.223012050.000	22,5	44,0-46,0	30,0	12,5	5,0			PA zwart
413200.223012060.000	22,5	44,0-46,0	30,0	12,5	6,0			PA zwart
413200.223012070.000	22,5	44,0-46,0	30,0	12,5	7,0			PA zwart
413200.223012080.000	22,5	44,0-46,0	30,0	12,5	8,0			PA zwart
413200.223012090.000	22,5	44,0-46,0	30,0	12,5	9,0			PA zwart
413200.223012100.000	22,5	44,0-46,0	30,0	12,5	10,0			PA zwart
413200.223012110.000	22,5	44,0-46,0	30,0	12,5	11,0			PA zwart
413200.223012120.000	22,5	44,0-46,0	30,0	12,5	12,0			PA zwart
413200.223012130.000	22,5	44,0-46,0	30,0	12,5	13,0			PA zwart
413200.223012140.000	22,5	44,0-46,0	30,0	12,5	14,0			PA zwart
413200.223012150.000	22,5	44,0-46,0	30,0	12,5	15,0			PA zwart
413200.223012160.000	22,5	44,0-46,0	30,0	12,5	16,0	24,0	13,0	PA zwart
413200.223012170.000	22,5	44,0-46,0	30,0	12,5	17,0	24,0	14,0	PA zwart
413200.223012180.000	22,5	44,0-46,0	30,0	12,5	18,0	24,0	15,0	PA zwart
413200.223012190.000	22,5	44,0-46,0	30,0	12,5	19,0	24,0	16,0	PA zwart
413200.223012200.000	22,5	44,0-46,0	30,0	12,5	20,0	24,0	17,0	PA zwart
413200.223012210.000	22,5	44,0-46,0	30,0	12,5	21,0	24,0	18,0	PA zwart
413200.223012220.000	22,5	44,0-46,0	30,0	12,5	22,0	24,0	19,0	PA zwart
413200.223012230.000	22,5	44,0-46,0	30,0	12,5	23,0	24,0	20,0	PA zwart
413200.223012240.000	22,5	44,0-46,0	30,0	12,5	24,0	24,0	21,0	PA zwart
413200.223012250.000	22,5	44,0-46,0	30,0	12,5	25,0	24,0	22,0	PA zwart
413200.223012260.000	22,5	44,0-46,0	30,0	12,5	26,0	24,0	23,0	PA zwart
413200.223012270.000	22,5	44,0-46,0	30,0	12,5	27,0	24,0	24,0	PA zwart
413200.223012280.000	22,5	44,0-46,0	30,0	12,5	28,0	24,0	25,0	PA zwart
413200.223012290.000	22,5	44,0-46,0	30,0	12,5	29,0	24,0	26,0	PA zwart
413200.223012300.000	22,5	44,0-46,0	30,0	12,5	30,0	24,0	27,0	PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h
413200.253012030.000	25,0	49,0-51,0	30,0	12,5	3,0		PA zwart
413200.253012040.000	25,0	49,0-51,0	30,0	12,5	4,0		PA zwart
413200.253012050.000	25,0	49,0-51,0	30,0	12,5	5,0		PA zwart
413200.253012060.000	25,0	49,0-51,0	30,0	12,5	6,0		PA zwart
413200.253012070.000	25,0	49,0-51,0	30,0	12,5	7,0		PA zwart
413200.253012080.000	25,0	49,0-51,0	30,0	12,5	8,0		PA zwart
413200.253012090.000	25,0	49,0-51,0	30,0	12,5	9,0		PA zwart
413200.253012100.000	25,0	49,0-51,0	30,0	12,5	10,0		PA zwart
413200.253012110.000	25,0	49,0-51,0	30,0	12,5	11,0		PA zwart
413200.253012120.000	25,0	49,0-51,0	30,0	12,5	12,0		PA zwart
413200.253012130.000	25,0	49,0-51,0	30,0	12,5	13,0		PA zwart
413200.253012140.000	25,0	49,0-51,0	30,0	12,5	14,0		PA zwart
413200.253012150.000	25,0	49,0-51,0	30,0	12,5	15,0		PA zwart
413200.253012160.000	25,0	49,0-51,0	30,0	12,5	16,0	10,5	PA zwart
413200.253012170.000	25,0	49,0-51,0	30,0	12,5	17,0	10,5	PA zwart
413200.253012180.000	25,0	49,0-51,0	30,0	12,5	18,0	10,5	PA zwart
413200.253012190.000	25,0	49,0-51,0	30,0	12,5	19,0	10,5	PA zwart
413200.253012200.000	25,0	49,0-51,0	30,0	12,5	20,0	10,5	PA zwart
413200.253012210.000	25,0	49,0-51,0	21,030,0	12,5	21,0	10,5	PA zwart
413200.253012220.000	25,0	49,0-51,0	30,0	12,5	22,0	10,5	PA zwart
413200.253012230.000	25,0	49,0-51,0	30,0	12,5	23,0	10,5	PA zwart
413200.253012240.000	25,0	49,0-51,0	30,0	12,5	24,0	10,5	PA zwart
413200.253012250.000	25,0	49,0-51,0	30,0	12,5	25,0	10,5	PA zwart
413200.253012260.000	25,0	49,0-51,0	30,0	12,5	26,0	10,5	PA zwart
413200.253012270.000	25,0	49,0-51,0	30,0	12,5	27,0	10,5	PA zwart
413200.253012280.000	25,0	49,0-51,0	30,0	12,5	28,0	10,5	PA zwart
413200.253012290.000	25,0	49,0-51,0	30,0	12,5	29,5	10,5	PA zwart
413200.253012300.000	25,0	49,0-51,0	30,0	12,5	30,0	10,5	PA zwart
413200.274006050.004	27,5	50,0-60,0	40,0	6,6	5,0		PA naturel
413200.274010050.004	27,5	50,0-60,0	40,0	10,4	5,0		PA naturel
413200.274016050.004	27,5	50,0-60,0	40,0	16,5	5,0		PA naturel
413200.284010050.000	28,5	55,0-60,0	40,0	10,5	5,0		PA 6 zwart
413200.284010056.000	28,5	55,0-60,0	40,0	10,5	5,0		PA 6.6 zwart
413200.303012030.000	30,0	59,0-61,0	30,0	12,5	3,0		PA zwart
413200.303012040.000	30,0	59,0-61,0	30,0	12,5	4,0		PA zwart
413200.303012050.000	30,0	59,0-61,0	30,0	12,5	5,0		PA zwart
413200.303012060.000	30,0	59,0-61,0	30,0	12,5	6,0		PA zwart
413200.303012070.000	30,0	59,0-61,0	7,030,0	12,5	7,0		PA zwart
413200.303012080.000	30,0	59,0-61,0	30,0	12,5	8,0		PA zwart
413200.303012090.000	30,0	59,0-61,0	30,0	12,5	9,0		PA zwart
413200.303012100.000	30,0	59,0-61,0	30,0	12,5	10,0		PA zwart
413200.303012110.000	30,0	59,0-61,0	30,0	12,5	11,0		PA zwart
413200.303012120.000	30,0	59,0-61,0	30,0	12,5	12,0		PA zwart

Artikelcode	R	Buis Ø	D	d	H	d1	h
413200.303012130.000	30,0	59,0-61,0	30,0	12,5	13,0		PA zwart
413200.303012140.000	30,0	59,0-61,0	30,0	12,5	14,0		PA zwart
413200.303012150.000	30,0	59,0-61,0	30,0	12,5	15,0		PA zwart
413200.303012160.000	30,0	49,0-51,0	30,0	12,5	16,0	10,5	PA zwart
413200.303012170.000	30,0	49,0-51,0	30,0	12,5	17,0	10,5	PA zwart
413200.303012180.000	30,0	49,0-51,0	30,0	12,5	18,0	10,5	PA zwart
413200.303012190.000	30,0	49,0-51,0	30,0	12,5	19,0	10,5	PA zwart
413200.303012200.000	30,0	59,0-61,0	30,0	12,5	20,0	10,5	PA zwart
413200.303012210.000	30,0	59,0-61,0	30,0	12,5	21,0	10,5	PA zwart
413200.303012220.000	30,0	49,0-51,0	30,0	12,5	22,0	10,5	PA zwart
413200.303012230.000	30,0	49,0-51,0	30,0	12,5	23,0	10,5	PA zwart
413200.303012240.000	30,0	59,0-61,0	30,0	12,5	24,0	10,5	PA zwart
413200.303012250.000	30,0	59,0-61,0	30,0	12,5	25,0	10,5	PA zwart
413200.303012260.000	30,0	59,0-61,0	30,0	12,5	26,0	10,5	PA zwart
413200.303012270.000	30,0	59,0-61,0	30,0	12,5	27,0	10,5	PA zwart
413200.303012280.000	30,0	59,0-61,0	30,0	12,5	28,0	10,5	PA zwart
413200.303012290.000	30,0	59,0-61,0	30,0	12,5	29,0	10,5	PA zwart
413200.303012300.000	30,0	59,0-61,0	30,0	12,5	30,0	10,5	PA zwart