


2920. TRILLINGSDEMPER TYPE 2

Afwijkende diameter, hoogte, shore hardheid of draad op aanvraag leverbaar.

Standaard ook in RVS (A2 / A4) leverbaar.

Ook leverbaar in diverse andere materialen zie volgende link & materiaalspecificaties



| Artikelcode | D | H | G | G | Lengte | Materiaal | |
|----------------------|----|----|-----|-----|--------|-----------|--------|
| 2920.00600703003.000 | 6 | 7 | M 3 | M 3 | 3 | NR 55° | St. 37 |
| 2920.00600703006.000 | 6 | 7 | M 3 | M 3 | 6 | NR 55° | St. 37 |
| 2920.00800603006.000 | 8 | 6 | M 3 | M 3 | 6 | NR 55° | St. 37 |
| 2920.00800603012.000 | 8 | 6 | M 3 | M 3 | 12 | NR 55° | St. 37 |
| 2920.00800803003.000 | 8 | 8 | M 3 | M 3 | 3 | NR 55° | St. 37 |
| 2920.00800803006.000 | 8 | 8 | M 3 | M 3 | 6 | NR 55° | St. 37 |
| 2920.01000803006.000 | 10 | 8 | M3 | M3 | 3 | NR 55° | St. 37 |
| 2920.01000804006.000 | 10 | 8 | M3 | M3 | 3 | NR 55° | St. 37 |
| 2920.01001004010.000 | 10 | 10 | M 4 | M 4 | 10 | NR 55° | St. 37 |
| 2920.01001504010.000 | 10 | 15 | M 4 | M 4 | 10 | NR 55° | St. 37 |
| 2920.01001703006.000 | 10 | 17 | M3 | M3 | 6 | NR 55° | St. 37 |
| 2920.01501004006.000 | 15 | 10 | M 4 | M 4 | 6 | NR 55° | St. 37 |
| 2920.01501004010.000 | 15 | 10 | M 4 | M 4 | 10 | NR 55° | St. 37 |
| 2920.01501004010.650 | 15 | 15 | M 4 | M 4 | 10 | NR 65° | St. 37 |
| 2920.01501005010.000 | 15 | 10 | M 5 | M 5 | 10 | NR 55° | St. 37 |
| 2920.01501005010.005 | 15 | 10 | M 5 | M 5 | 10 | NR 55° | RVS A2 |
| 2920.01501204006.000 | 15 | 12 | M 4 | M 4 | 6 | NR 55° | St. 37 |
| 2920.01501504010.000 | 15 | 15 | M 4 | M 4 | 10 | NR 55° | St. 37 |
| 2920.01501504010.450 | 15 | 15 | M 4 | M 4 | 10 | NR 45° | St. 37 |
| 2920.01501504013.000 | 15 | 15 | M 4 | M 4 | 13 | NR 55° | St. 37 |
| 2920.01501505008.000 | 15 | 15 | M5 | M5 | 8 | NR 55° | St. 37 |
| 2920.01501505010.000 | 15 | 15 | M5 | M5 | 10 | NR 55° | St. 37 |

| Artikelcode | D | H | G | G | Lengte | Materiaal | |
|----------------------|----|----|-----|-----|--------|-----------|--------|
| 2920.01501505010.800 | 15 | 15 | M5 | M5 | 10 | NR 80° | St. 37 |
| 2920.01501505015.000 | 15 | 15 | M5 | M5 | 15 | NR 55° | St. 37 |
| 2920.01501505015.800 | 15 | 15 | M5 | M5 | 15 | NR 80° | St. 37 |
| 2920.01502004010.000 | 15 | 20 | M 4 | M 4 | 10 | NR 55° | St. 37 |
| 2920.01502005010.000 | 15 | 20 | M5 | M5 | 10 | NR 55° | St. 37 |
| 2920.01502005010.400 | 15 | 20 | M5 | M5 | 10 | NR 40° | St. 37 |
| 2920.01502005010.800 | 15 | 20 | M5 | M5 | 10 | NR 80° | St. 37 |
| 2920.01502504015.000 | 15 | 25 | M 4 | M 4 | 15 | NR 55° | St. 37 |
| 2920.01503004010.000 | 15 | 30 | M 4 | M 4 | 10 | NR 55° | St. 37 |
| 2920.01503004012.000 | 15 | 30 | M 4 | M 4 | 12 | NR 55° | St. 37 |
| 2920.01503005013.000 | 15 | 40 | M5 | M5 | 13 | NR 55° | St. 37 |
| 2920.02001006008.000 | 20 | 10 | M 6 | M 6 | 8 | NR 55° | St. 37 |
| 2920.02001006018.000 | 20 | 10 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02001505012.000 | 20 | 15 | M5 | M5 | 12 | NR 55° | St. 37 |
| 2920.02001506018.000 | 20 | 15 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02001506018.005 | 20 | 15 | M 6 | M 6 | 18 | NR 55° | RVS A2 |
| 2920.02002005018.000 | 20 | 20 | M 5 | M 5 | 18 | NR 55° | St. 37 |
| 2920.02002006008.750 | 20 | 20 | M 6 | M 6 | 8 | NR 75° | St. 37 |
| 2920.02002006018.000 | 20 | 20 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02002006018.006 | 20 | 20 | M 6 | M 6 | 18 | NR 55° | RVS A4 |
| 2920.02002506008.000 | 20 | 25 | M 6 | M 6 | 8 | NR 55° | St. 37 |
| 2920.02002506014.000 | 20 | 25 | M 6 | M 6 | 14 | NR 55° | St. 37 |
| 2920.02002506018.000 | 20 | 25 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02003006012.00R | 20 | 30 | M 6 | M 6 | 12 | NR 55° | St. 37 |
| 2920.02501506018.000 | 25 | 15 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02501706018.000 | 25 | 17 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02502006014.000 | 25 | 20 | M 6 | M 6 | 14 | NR 55° | St. 37 |
| 2920.02502006018.000 | 25 | 20 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02502006018.005 | 25 | 20 | M 6 | M 6 | 18 | NR 55° | RVS A2 |
| 2920.02502006018.010 | 25 | 20 | M 6 | M 6 | 18 | NBR 55° | St. 37 |
| 2920.02502006018.400 | 25 | 20 | M 6 | M 6 | 18 | NR 40° | St. 37 |
| 2920.02502506018.000 | 25 | 25 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02503006018.000 | 25 | 30 | M 6 | M 6 | 18 | NR 55° | St. 37 |
| 2920.02503008023.000 | 25 | 30 | M 8 | M 8 | 23 | NR 55° | St. 37 |
| 2920.03001508020.000 | 30 | 15 | M 8 | M 8 | 20 | NR 55° | St. 37 |
| 2920.03001508025.006 | 30 | 15 | M 8 | M 8 | 20 | NR 55° | RVS A4 |
| 2920.03002006005.700 | 30 | 20 | M 6 | M 6 | 5 | NR 70° | St. 37 |
| 2920.03002008008.750 | 30 | 20 | M 8 | M 8 | 8 | NR 75° | St. 37 |
| 2920.03002008015.700 | 30 | 20 | M 8 | M 8 | 15 | NR 55° | St. 37 |
| 2920.03002008020.000 | 30 | 20 | M 8 | M 8 | 20 | NR 55° | St. 37 |
| 2920.03002008020.005 | 30 | 20 | M 8 | M 8 | 20 | NR 55° | RVS A2 |
| 2920.03002008020.700 | 30 | 20 | M 8 | M 8 | 20 | NR 70° | St. 37 |
| 2920.03002008033.000 | 30 | 20 | M 8 | M 8 | 33 | NR 55° | St. 37 |

| Artikelcode | D | H | G | G | Lengte | Materiaal | |
|----------------------|----|----|------|-----|--------|--------------|--------|
| 2920.03002008035.000 | 30 | 20 | M 8 | M 8 | 35 | NR 55° | St. 37 |
| 2920.03002008045.000 | 30 | 20 | M 8 | M 8 | 45 | NR 55° | St. 37 |
| 2920.03002508015.000 | 30 | 25 | M 8 | M 8 | 15 | NR 55° | St. 37 |
| 2920.03002508020.000 | 30 | 25 | M 8 | M 8 | 20 | NR 55° | St. 37 |
| 2920.03003008020.000 | 30 | 30 | M 8 | M 8 | 20 | NR 55° | St. 37 |
| 2920.03003008020.005 | 30 | 30 | M 8 | M 8 | 20 | NR 55° | RVS A2 |
| 2920.03003008020.010 | 30 | 30 | M 8 | M 8 | 20 | NBR 55° | St. 37 |
| 2920.03003008020.700 | 30 | 30 | M 8 | M 8 | 20 | NR 70° | St. 37 |
| 2920.03003508020.000 | 30 | 35 | M 8 | M 8 | 20 | NR 55° | St. 37 |
| 2920.03003508020.005 | 30 | 35 | M 8 | M 8 | 20 | NR 55° | RVS A2 |
| 2920.03004008020.000 | 30 | 30 | M 8 | M 8 | 20 | NR 55° | St. 37 |
| 2920.03004008023.000 | 30 | 30 | M 8 | M 8 | 23 | NR 55° | St. 37 |
| 2920.03004008023.005 | 30 | 30 | M 8 | M 8 | 23 | NR 55° | RVS A2 |
| 2920.04001506008.600 | 40 | 15 | M 6 | M 6 | 8 | NR 65° | St. 37 |
| 2920.04001506008.603 | 40 | 15 | M 6 | M 6 | 8 | NR 65° grijs | St. 37 |
| 2920.04001508023.006 | 40 | 15 | M 8 | M 8 | 23 | NR 55° | RVS A4 |
| 2920.04002008006.000 | 40 | 20 | M 8 | M 8 | 6 | NR 55° | St. 37 |
| 2920.04002008023.000 | 40 | 20 | M 8 | M 8 | 23 | NR 55° | St. 37 |
| 2920.04002008023.005 | 40 | 20 | M 8 | M 8 | 23 | NR 55° | RVS A2 |
| 2920.04002008023.010 | 40 | 20 | M 8 | M 8 | 23 | NBR 55° | St. 37 |
| 2920.04002010013.000 | 40 | 20 | M10 | M10 | 13 | NR 55° | St. 37 |
| 2920.04002508023.000 | 40 | 25 | M 8 | M 8 | 23 | NR 55° | St. 37 |
| 2920.04003008013.000 | 40 | 30 | M 8 | M 8 | 13 | NR 55° | St. 37 |
| 2920.04003008023.000 | 40 | 30 | M 8 | M 8 | 23 | NR 55° | St. 37 |
| 2920.04003008023.005 | 40 | 30 | M 8 | M 8 | 23 | NR 55° | RVS A2 |
| 2920.04003008023.006 | 40 | 30 | M 8 | M 8 | 23 | NR 55° | RVS A4 |
| 2920.04003008023.400 | 40 | 30 | M 8 | M 8 | 23 | NR 40° | St. 37 |
| 2920.04003008023.700 | 40 | 30 | M 8 | M 8 | 23 | NR 70° | St. 37 |
| 2920.04003010028.000 | 40 | 30 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.04004008023.000 | 40 | 40 | M 8 | M 8 | 23 | NR 55° | St. 37 |
| 2920.04004010033.000 | 40 | 40 | M10 | M10 | 33 | NR 55° | St. 37 |
| 2920.05002008015.000 | 50 | 20 | M 8 | M 8 | 15 | NR 55° | St. 37 |
| 2920.05002008015.100 | 50 | 20 | M 10 | M 8 | 15 | NR 55° | St. 37 |
| 2920.05002010015.000 | 50 | 20 | M10 | M10 | 15 | NR 55° | St. 37 |
| 2920.05002010028.000 | 50 | 20 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.05002010028.005 | 50 | 20 | M10 | M10 | 28 | NR 55° | RVS A2 |
| 2920.05002010028.010 | 50 | 20 | M10 | M10 | 28 | NBR 55° | St. 37 |
| 2920.05002010028.700 | 50 | 20 | M10 | M10 | 28 | NR 70° | St. 37 |
| 2920.05002510028.000 | 50 | 25 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.05003010020.000 | 50 | 30 | M10 | M10 | 20 | NR 55° | St. 37 |
| 2920.05003010028.000 | 50 | 30 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.05003010028.005 | 50 | 30 | M10 | M10 | 20 | NR 55° | RVS A2 |
| 2920.05004010015.000 | 50 | 40 | M10 | M10 | 15 | NR 55° | St. 37 |

| Artikelcode | D | H | G | G | Lengte | Materiaal | |
|----------------------|-----|-----|-----|-----|--------|-----------|--------|
| 2920.05004010020.000 | 50 | 40 | M10 | M10 | 20 | NR 55° | St. 37 |
| 2920.05004010028.000 | 50 | 40 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.05004010028.705 | 50 | 40 | M10 | M10 | 28 | NR 70° | St. 37 |
| 2920.05004510028.000 | 50 | 45 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.05005010028.000 | 50 | 50 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.05005010028.005 | 0 | 50 | M10 | M10 | 28 | NR 55° | RVS A2 |
| 2920.05005012028.000 | 50 | 50 | M12 | M12 | 28 | NR 55° | St. 37 |
| 2920.05006008025.005 | 50 | 60 | M 8 | M 8 | 25 | NR 55° | RVS A2 |
| 2920.05007010028.000 | 50 | 70 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.06003010028.000 | 60 | 30 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.06003010028.005 | 0 | 20 | M10 | M10 | 28 | NR 55° | RVS A2 |
| 2920.06003010033.000 | 60 | 30 | M10 | M10 | 33 | NR 55° | St. 37 |
| 2920.06003010033.005 | 60 | 30 | M10 | M10 | 33 | NR 55° | RVS A2 |
| 2920.06004010028.000 | 60 | 40 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.07004510028.000 | 70 | 45 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.07502512037.000 | 75 | 25 | M12 | M12 | 37 | NR 55° | St. 37 |
| 2920.07502512037.005 | 75 | 25 | M12 | M12 | 37 | NR 55° | RVS A2 |
| 2920.07502512037.705 | 75 | 25 | M12 | M12 | 37 | NR 70° | RVS A2 |
| 2920.07504010028.000 | 75 | 40 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.07504012037.000 | 75 | 40 | M12 | M12 | 37 | NR 55° | St. 37 |
| 2920.07504012037.005 | 75 | 40 | M12 | M12 | 37 | NR 55° | RVS A2 |
| 2920.07504510028.000 | 75 | 45 | M10 | M10 | 28 | NR 55° | St. 37 |
| 2920.07504512037.000 | 75 | 45 | M12 | M12 | 37 | NR 55° | St. 37 |
| 2920.07505012037.000 | 75 | 50 | M12 | M12 | 37 | NR 55° | St. 37 |
| 2920.07505512037.000 | 75 | 55 | M12 | M12 | 37 | NR 55° | St. 37 |
| 2920.07505512037.005 | 75 | 55 | M12 | M12 | 37 | NR 55° | RVS A2 |
| 2920.07505514037.000 | 75 | 55 | M14 | M14 | 37 | NR 55° | St. 37 |
| 2920.10004016041.000 | 100 | 40 | M16 | M16 | 41 | NR 55° | St. 37 |
| 2920.10004016041.005 | 100 | 40 | M16 | M16 | 41 | NR 55° | RVS A2 |
| 2920.10004016041.400 | 100 | 40 | M16 | M16 | 41 | NR 40° | St. 37 |
| 2920.10005016041.000 | 100 | 50 | M16 | M16 | 41 | NR 55° | St. 37 |
| 2920.10005516041.000 | 100 | 55 | M16 | M16 | 41 | NR 55° | St. 37 |
| 2920.10005516041.650 | 100 | 55 | M16 | M16 | 41 | NR 65° | St. 37 |
| 2920.10006016041.000 | 100 | 60 | M16 | M16 | 41 | NR 55° | St. 37 |
| 2920.10007516041.000 | 100 | 75 | M16 | M16 | 41 | NR 55° | St. 37 |
| 2920.10010016041.000 | 100 | 100 | M16 | M16 | 41 | NR 55° | St. 37 |
| 2920.15005516041.000 | 150 | 55 | M16 | M16 | 41 | NR 55° | St. 37 |
| 2920.15010020046.000 | 150 | 100 | M20 | M20 | 45 | NR 55° | St. 37 |